

Riparaton®

Club dei
Riparaton®

Club dei
Riparaton®

OUR LINE OF HIGH PRESSURE HOSES



From today Club dei Riparatori **assembles your hoses**. A brand new innovation, the HIGH PRESSURE HOSES catalogue for high pressure washers.

From today CdR gives you the opportunity to buy:

- High pressure hoses with standard fittings.
- High pressure hoses in pieces with all of the fittings needed for you to assemble your own hoses.
- High pressure hoses and fittings assembled according to your request.



Quality

*The hoses by Club dei Riparatori
are of the highest quality.*

Prices

*A bargain!
Because the hoses
are assembled directly by us.*



Time of delivery

*On average goods dispatched
within 3 days of receipt
of your order*

Minimum quantity

*There is no minimum quantity to order
(except for hoses made to measure).*





High pressure hoses - Technical features

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

210 bar-3050 psi R1 1/4" - BLACK HIGH PRESSURE HOSE

• For high pressure hot water cleaning applications

- Suitable for cold and hot water, and detergent solutions resistant, special black synthetic rubber. Oil, high abrasion and weather resistant.

Hose	Wires	Ø Inside	Ø Outside	Working pressure	Burst pressure	Temperature	Colour
1/4"	R1	6,4 mm 0.25"	12,2 mm 0.48"	210 bar 3050 psi	840 bar 12200 psi	-40 °C / +150 °C -105 °F / +300 °F	BLACK BLUE

210 bar-3050 psi R1 3/8" - BLACK & BLUE HIGH PRESSURE HOSE

• For high pressure hot water cleaning applications

- Suitable for cold and hot water, and detergent solutions resistant, special black synthetic rubber. Oil, high abrasion and weather resistant.

Hose	Wires	Ø Inside	Ø Outside	Working pressure	Burst pressure	Temperature	Colour
3/8"	R1	9.5 mm 0.37"	17,2 mm 0.68"	210 bar 3050 psi	840 bar 12200 psi	-40 °C / +150 °C -105 °F / +300 °F	BLACK BLUE

315 bar-4550 psi R1 5/16" - BLACK & BLUE HIGH PRESSURE HOSE

• For high pressure hot water cleaning applications

- Suitable for cold and hot water, and detergent solutions resistant, special blue & black synthetic rubber. Oil, high abrasion and weather resistant.

Hose	Wires	Ø Inside	Ø Outside	Working pressure	Burst pressure	Temperature	Colour
5/16"	R1	7,9 mm 0.31"	15,0 mm 0.59"	315 bar 4550 psi	1260 bar 18250 psi	-40 °C / +150 °C -105 °F / +300 °F	BLACK BLUE

400 bar-5800 psi R2 5/16" - BLACK & BLUE HIGH PRESSURE HOSE

• For high pressure hot water cleaning applications

- Suitable for cold and hot water, and detergent solutions resistant, special blue & black synthetic rubber. Oil, high abrasion and weather resistant.

Hose	Wires	Ø Inside	Ø Outside	Working pressure	Burst pressure	Temperature	Colour
5/16"	R2	7,9 mm 0.31"	15,0 mm 0.59"	400 bar 5800 psi	1600 bar 23200 psi	-40 °C / +150 °C -105 °F / +300 °F	BLACK BLUE

400 bar-5800 psi R2 3/8" - BLACK & BLUE HIGH PRESSURE HOSE

• For high pressure hot water cleaning applications

- Suitable for cold and hot water, and detergent solutions resistant, special blue & black synthetic rubber. Oil, high abrasion and weather resistant.

Hose	Wires	Ø Inside	Ø Outside	Working pressure	Burst pressure	Temperature	Colour
3/8"	R2	9,5 mm 0.37"	18,9 mm 0.74"	400 bar 5800 psi	1600 bar 23200 psi	-40 °C / +150 °C -105 °F / +300 °F	BLACK BLUE

500 bar-7250 psi R2 3/8" - BLACK HIGH PRESSURE HOSE

• For high pressure hot water cleaning applications

- Suitable for cold and hot water, and detergent solutions resistant, special black synthetic rubber. Oil, high abrasion and weather resistant.

Hose	Wires	Ø Inside	Ø Outside	Working pressure	Burst pressure	Temperature	Colour
3/8"	R2	9,5 mm 0.37"	17,8 mm 0.70"	500 bar 7250 psi	2000 bar 23200 psi	-40 °C / +150 °C -105 °F / +300 °F	BLACK

210 bar-3050 psi R7 3/16" - BLACK HIGH PRESSURE HOSE

• For cleaning applications using high pressure cold water

- Construction: core made of a weld-free mixture of polyethylene, reinforced with high tenacity synthetic fibre and covered with anti-abrasive synthetic rubber casing.

Hose	Wires	Ø Inside	Ø Outside	Working pressure	Burst pressure	Temperature	Colour
3/16"	R7	5 mm 0.20"	9,6 mm 0.38"	210 bar 3050 psi	840 bar 12200 psi	-40 °C / +70 °C -105 °F / +160 °F	BLACK

140 bar-2000 psi THERMOPLASTIC HOSE - BLACK HIGH PRESSURE HOSE

• For cleaning applications using high pressure cold water



- Construction: core made of a weld-free mixture of polyethylene, reinforced with high tenacity synthetic fibre and covered with anti-abrasive synthetic rubber casing.

Hose	Ø Inside	Ø Outside	Working pressure	Burst pressure	Temperature	Colour
1/4"	6,3 mm 0.25"	12 mm 0.48"	140 bar 2000 psi	560 bar 8100 psi	-40 °C / +70 °C -105 °F / +160 °F	BLACK





H.p. hoses 210 bar(3050 psi) - R1 1/4" - Pre-assembled



The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

BLACK	Code	Length		Weight
		m	ft	
	ZN.AC080X1R1R	8	26.25	gr. 1590 oz. 55.7
	ZN.AC100X1R1R	10	32.80	gr. 1960 oz. 68.6
	ZN.AC150X1R1R	15	49.20	gr. 2880 oz. 100.8
	ZN.AC200X1R1R	20	65.60	gr. 3810 oz. 133.4



Without handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.AC080X1S1R	8	26.25	gr. 1580 oz. 55.3
	ZN.AC100X1S1R	10	32.80	gr. 1950 oz. 68.3
	ZN.AC150X1S1R	15	49.20	gr. 2870 oz. 100.5
	ZN.AC200X1S1R	20	65.60	gr. 3800 oz. 133.0



Without handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.AC080X1R1T	8	26.25	gr. 1600 oz. 56.0
	ZN.AC100X1R1T	10	32.80	gr. 1970 oz. 69.0
	ZN.AC150X1R1T	15	49.20	gr. 2880 oz. 100.8
	ZN.AC200X1R1T	20	65.60	gr. 3810 oz. 133.4



Without handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.AC080X1T1T	8	26.25	gr. 1610 oz. 56.4
	ZN.AC100X1T1T	10	32.80	gr. 1980 oz. 69.3
	ZN.AC150X1T1T	15	49.20	gr. 2890 oz. 101.2
	ZN.AC200X1T1T	20	65.60	gr. 3820 oz. 133.7



Without handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.AC080X1U1T	8	26.25	gr. 1610 oz. 56.4
	ZN.AC100X1U1T	10	32.80	gr. 1980 oz. 69.3
	ZN.AC150X1U1T	15	49.20	gr. 2890 oz. 101.2
	ZN.AC200X1U1T	20	65.60	gr. 3820 oz. 133.7



Without handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.AC080X2P1R	8	26.25	gr. 1630 oz. 57.1
	ZN.AC100X2P1R	10	32.80	gr. 2000 oz. 70.0
	ZN.AC150X2P1R	15	49.20	gr. 2910 oz. 101.9
	ZN.AC200X2P1R	20	65.60	gr. 3840 oz. 134.4



Without handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.AC080X2P1S	8	26.25	gr. 1630 oz. 57.1
	ZN.AC100X2P1S	10	32.80	gr. 2000 oz. 70.0
	ZN.AC150X2P1S	15	49.20	gr. 2910 oz. 101.9
	ZN.AC200X2P1S	20	65.60	gr. 3840 oz. 134.4

Without handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.AC080X2P1T	8	26.25	gr. 1640 oz. 57.4
	ZN.AC100X2P1T	10	32.80	gr. 2010 oz. 70.4
	ZN.AC150X2P1T	15	49.20	gr. 2920 oz. 102.2
	ZN.AC200X2P1T	20	65.60	gr. 3850 oz. 134.8

Without handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.AC080X2P1U	8	26.25	gr. 1640 oz. 57.4
	ZN.AC100X2P1U	10	32.80	gr. 2010 oz. 70.4
	ZN.AC150X2P1U	15	49.20	gr. 2920 oz. 102.2
	ZN.AC200X2P1U	20	65.60	gr. 3850 oz. 134.8

Without handles



BLACK	Code	Length		Weight
		m	ft	
	ZN.AC080X2P2P	8	26.25	gr. 1670 oz. 58.5
	ZN.AC100X2P2P	10	32.80	gr. 2040 oz. 71.4
	ZN.AC150X2P2P	15	49.20	gr. 2960 oz. 103.6
	ZN.AC200X2P2P	20	65.60	gr. 3890 oz. 136.2



Without handles







H.p. hoses 210 bar(3050 psi) - R1 1/4" - Pre-assembled



The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®



BLACK		Code	Length m ft	Weight
 M 22ø14 F fitting ø10 K  Without handles	ZN.AC080X2P50	8 26.25	gr. 1660 oz. 58.1	
	ZN.AC100X2P50	10 32.80	gr. 2030 oz. 71.1	
	ZN.AC150X2P50	15 49.20	gr. 2950 oz. 103.3	
	ZN.AC200X2P50	20 65.60	gr. 3880 oz. 135.8	



BLACK		Code	Length m ft	Weight
 M 22ø14 F long fitting ø10 K  Without handles	ZN.AC080X3E50	8 26.25	gr. 1670 oz. 58.5	
	ZN.AC100X3E50	10 32.80	gr. 2040 oz. 71.4	
	ZN.AC150X3E50	15 49.20	gr. 2960 oz. 103.6	
	ZN.AC200X3E50	20 65.60	gr. 3890 oz. 136.2	



BLACK		Code	Length m ft	Weight
 M 22ø14 F long M 22ø14 F  Without handles	ZN.AC080X3E2P	8 26.25	gr. 1680 oz. 58.8	
	ZN.AC100X3E2P	10 32.80	gr. 2050 oz. 71.8	
	ZN.AC150X3E2P	15 49.20	gr. 2970 oz. 104.0	
	ZN.AC200X3E2P	20 65.60	gr. 3900 oz. 136.5	



BLACK		Code	Length m ft	Weight
 M 22ø15 F G 1/4" F  Without handles	ZN.AC080X5M1R	8 26.25	gr. 1630 oz. 57.1	
	ZN.AC100X5M1R	10 32.80	gr. 2000 oz. 70.0	
	ZN.AC150X5M1R	15 49.20	gr. 2930 oz. 102.6	
	ZN.AC200X5M1R	20 65.60	gr. 3850 oz. 134.8	



BLACK		Code	Length m ft	Weight
 M 22ø15 F G 3/8" F  Without handles	ZN.AC080X5M1T	8 26.25	gr. 1640 oz. 57.4	
	ZN.AC100X5M1T	10 32.80	gr. 2010 oz. 70.4	
	ZN.AC150X5M1T	15 49.20	gr. 2920 oz. 102.2	
	ZN.AC200X5M1T	20 65.60	gr. 3850 oz. 134.8	

BLACK		Code	Length m ft	Weight
 M 22ø15 F G 3/8" M  Without handles	ZN.AC080X5M1U	8 26.25	gr. 1640 oz. 57.4	
	ZN.AC100X5M1U	10 32.80	gr. 2010 oz. 70.4	
	ZN.AC150X5M1U	15 49.20	gr. 2920 oz. 102.2	
	ZN.AC200X5M1U	20 65.60	gr. 3850 oz. 134.8	

BLACK		Code	Length m ft	Weight
 M 21ø14 F G 1/4" F  Without handles	ZN.AC080X3H1R	8 26.25	gr. 1620 oz. 56.7	
	ZN.AC100X3H1R	10 32.80	gr. 1990 oz. 69.7	
	ZN.AC150X3H1R	15 49.20	gr. 2920 oz. 102.2	
	ZN.AC200X3H1R	20 65.60	gr. 3840 oz. 134.4	

BLACK		Code	Length m ft	Weight
 M 21ø14 F G 3/8" F  Without handles	ZN.AC080X3H1T	8 26.25	gr. 1630 oz. 57.1	
	ZN.AC100X3H1T	10 32.80	gr. 2000 oz. 70.0	
	ZN.AC150X3H1T	15 49.20	gr. 2930 oz. 102.6	
	ZN.AC200X3H1T	20 65.60	gr. 3850 oz. 134.8	

BLACK		Code	Length m ft	Weight
 M 21ø14 F G 3/8" M  Without handles	ZN.AC080X3H1U	8 26.25	gr. 1630 oz. 57.1	
	ZN.AC100X3H1U	10 32.80	gr. 2000 oz. 70.0	
	ZN.AC150X3H1U	15 49.20	gr. 2930 oz. 102.6	
	ZN.AC200X3H1U	20 65.60	gr. 3850 oz. 134.8	

BLACK		Code	Length m ft	Weight
 M 21ø14 F M 21ø14 F  Without handles	ZN.AC080X3H3H	8 26.25	gr. 1660 oz. 58.1	
	ZN.AC100X3H3H	10 32.80	gr. 2030 oz. 71.1	
	ZN.AC150X3H3H	15 49.20	gr. 2950 oz. 103.3	
	ZN.AC200X3H3H	20 65.60	gr. 3880 oz. 135.8	



H.p. hoses 210 bar(3050 psi) - R1 3/8" - Pre-assembled

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

BLACK	Code	Length m ft	Weight
	ZN.BC100B2D2D	10 32.80	gr. 3790 oz. 132.7
G 3/8" F			
	ZN.BC150B2D2D	15 49.20	gr. 5510 oz. 192.9
G 3/8" F			
	ZN.BC200B2D2D	20 65.60	gr. 7240 oz. 253.4
<i>With handles</i>			

BLACK	Code	Length m ft	Weight
	ZN.BC100B2E2D	10 32.80	gr. 3780 oz. 132.3
G 3/8" M			
	ZN.BC150B2E2D	15 49.20	gr. 5510 oz. 192.9
G 3/8" F			
	ZN.BC200B2E2D	20 65.60	gr. 7230 oz. 253.1
<i>With handles</i>			

BLACK	Code	Length m ft	Weight
	ZN.BC100B2F2F	10 32.80	gr. 3840 oz. 134.4
G 1/2" F			
	ZN.BC150B2F2F	15 49.20	gr. 5560 oz. 194.6
G 1/2" F			
	ZN.BC200B2F2F	20 65.60	gr. 7290 oz. 255.2
<i>With handles</i>			

BLACK	Code	Length m ft	Weight
	ZN.BC100B2G2F	10 32.80	gr. 3830 oz. 134.1
G 1/2" M			
	ZN.BC150B2G2F	15 49.20	gr. 5560 oz. 194.6
G 1/2" F			
	ZN.BC200B2G2F	20 65.60	gr. 7280 oz. 254.8
<i>With handles</i>			

BLACK	Code	Length m ft	Weight
	ZN.BC100B2O2D	10 32.80	gr. 3800 oz. 133.0
1/2" F swivel			
	ZN.BC150B2O2D	15 49.20	gr. 5520 oz. 193.2
G 3/8" F			
	ZN.BC200B2O2D	20 65.60	gr. 7250 oz. 253.8
<i>With handles</i>			

BLACK	Code	Length m ft	Weight
	ZN.BC100B2O2E	10 32.80	gr. 3790 oz. 132.7
1/2" F swivel			
	ZN.BC150B2O2E	15 49.20	gr. 5520 oz. 193.2
G 3/8" M			
	ZN.BC200B2O2E	20 65.60	gr. 7240 oz. 253.4
<i>With handles</i>			

BLACK	Code	Length m ft	Weight
	ZN.BC100B2O2F	10 32.80	gr. 3820 oz. 133.7
1/2" F swivel			
	ZN.BC150B2O2F	15 49.20	gr. 5550 oz. 194.3
G 1/2" F			
	ZN.BC200B2O2F	20 65.60	gr. 7250 oz. 254.5
<i>With handles</i>			

BLACK	Code	Length m ft	Weight
	ZN.BC100B2O2G	10 32.80	gr. 3820 oz. 133.7
1/2" F swivel			
	ZN.BC150B2O2G	15 49.20	gr. 5540 oz. 193.9
G 1/2" M			
	ZN.BC200B2O2G	20 65.60	gr. 7250 oz. 254.5
<i>With handles</i>			

BLACK	Code	Length m ft	Weight
	ZN.BC100B4N2D	10 32.80	gr. 3810 oz. 133.4
M 22ø14 F			
	ZN.BC150B4N2D	15 49.20	gr. 5540 oz. 193.9
G 3/8" F			
	ZN.BC200B4N2D	20 65.60	gr. 7260 oz. 254.1
<i>With handles</i>			

BLACK	Code	Length m ft	Weight
	ZN.BC100B4N2E	10 32.80	gr. 3810 oz. 133.4
M 22ø14 F			
	ZN.BC150B4N2E	15 49.20	gr. 5530 oz. 193.6
G 3/8" M			
	ZN.BC200B4N2E	20 65.60	gr. 7260 oz. 254.1
<i>With handles</i>			



H.p. hoses 210 bar(3050 psi) - R1 3/8" - Pre-assembled

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

BLACK		Code	Length m ft	Weight
	ZN.BC100B4N4N	10	32.80	gr. 3840 oz. 134.4
M 22ø14 F				
	ZN.BC150B4N4N	15	49.20	gr. 5560 oz. 194.6
M 22ø14 F				
	ZN.BC200B4N4N	20	65.60	gr. 7290 oz. 255.2
<i>With handles</i>				

BLACK		Code	Length m ft	Weight
	ZN.BC100B5B2D	10	32.80	gr. 3820 oz. 133.7
M 22ø14 F long				
	ZN.BC150B5B2D	15	49.20	gr. 5550 oz. 192.5
G 3/8" F				
	ZN.BC200B5B2D	20	65.60	gr. 7270 oz. 254.5
<i>With handles</i>				

BLACK		Code	Length m ft	Weight
	ZN.BC100B5B2E	10	32.80	gr. 3820 oz. 133.7
M 22ø14 F long				
	ZN.BC150B5B2E	15	49.20	gr. 5540 oz. 193.9
G 3/8" M				
	ZN.BC200B5B2E	20	65.60	gr. 7270 oz. 254.5
<i>With handles</i>				

BLACK		Code	Length m ft	Weight
	ZN.BC100B5B4N	10	32.80	gr. 3850 oz. 134.8
M 22ø14 F long				
	ZN.BC150B5B4N	15	49.20	gr. 5570 oz. 195.0
M 22ø14 F				
	ZN.BC200B5B4N	20	65.60	gr. 7300 oz. 255.5
<i>With handles</i>				

BLACK		Code	Length m ft	Weight
	ZN.BC100B5F2D	10	32.80	gr. 3810 oz. 133.4
M 21ø14 F				
	ZN.BC150B5F2D	15	49.20	gr. 5530 oz. 193.6
G 3/8" F				
	ZN.BC200B5F2D	20	65.60	gr. 7260 oz. 254.1
<i>With handles</i>				

BLACK		Code	Length m ft	Weight
	ZN.BC100B5F2E	10	32.80	gr. 3800 oz. 133.0
M 21ø14 F				
	ZN.BC150B5F2E	15	49.20	gr. 5530 oz. 193.6
G 3/8" M				
	ZN.BC200B5F2E	20	65.60	gr. 7250 oz. 253.8
<i>With handles</i>				

BLACK		Code	Length m ft	Weight
	ZN.BC100B5F5F	10	32.80	gr. 3830 oz. 134.1
M 21ø14 F				
	ZN.BC150B5F5F	15	49.20	gr. 5550 oz. 194.3
M 21ø14 F				
	ZN.BC200B5F5F	20	65.60	gr. 7280 oz. 254.8
<i>With handles</i>				

BLACK		Code	Length m ft	Weight
	ZN.BC100B5F4N	10	32.80	gr. 3830 oz. 134.1
M 21ø14 F				
	ZN.BC150B5F4N	15	49.20	gr. 5560 oz. 194.6
M 22ø14 F				
	ZN.BC200B5F4N	20	65.60	gr. 7280 oz. 254.8
<i>With handles</i>				



BLUE		Code	Length m ft	Weight
	ZB.BC100D2D2D	10	32.80	gr. 3840 oz. 134.4
G 3/8" F				
	ZB.BC150D2D2D	15	49.20	gr. 5590 oz. 195.7
G 3/8" F				
	ZB.BC200D2D2D	20	65.60	gr. 7340 oz. 256.9
<i>With handles</i>				




BLUE		Code	Length m ft	Weight
	ZB.BC100D2F2F	10	32.80	gr. 3890 oz. 136.2
G 1/2" F				
	ZB.BC150D2F2F	15	49.20	gr. 5640 oz. 197.4
G 1/2" F				
	ZB.BC200D2F2F	20	65.60	gr. 7390 oz. 258.7
<i>With handles</i>				









H.p. hoses 210 bar(3050 psi) - R1 3/8" - Pre-assembled




The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

BLUE	Code	Length		Weight
		m	ft	
	ZB.BC100D202D	10	32.80	gr. 3850 oz. 134.8
	ZB.BC150D202D	15	49.20	gr. 5600 oz. 196.0
	ZB.BC200D202D	20	65.60	gr. 7350 oz. 257.3

BLUE	Code	Length		Weight
		m	ft	
	ZB.BC100D202F	10	32.80	gr. 3870 oz. 135.5
	ZB.BC150D202F	15	49.20	gr. 5620 oz. 196.7
	ZB.BC200D202F	20	65.60	gr. 7380 oz. 258.0

BLUE	Code	Length		Weight
		m	ft	
	ZB.BC100D4N2D	10	32.80	gr. 3860 oz. 135.1
	ZB.BC150D4N2D	15	49.20	gr. 5610 oz. 196.4
	ZB.BC200D4N2D	20	65.60	gr. 7360 oz. 257.6



BLUE	Code	Length		Weight
		m	ft	
	ZB.BC100D4N4N	10	32.80	gr. 3890 oz. 136.2
	ZB.BC150D4N4N	15	49.20	gr. 5640 oz. 197.4
	ZB.BC200D4N4N	20	65.60	gr. 7390 oz. 258.7

BLUE	Code	Length		Weight
		m	ft	
	ZB.BC100D5B2D	10	32.80	gr. 3870 oz. 135.5
	ZB.BC150D5B2D	15	49.20	gr. 5620 oz. 196.7
	ZB.BC200D5B2D	20	65.60	gr. 7370 oz. 258.0

BLUE	Code	Length		Weight
		m	ft	
	ZB.BC100D5B4N	10	32.80	gr. 3900 oz. 136.5
	ZB.BC150D5B4N	15	49.20	gr. 5650 oz. 197.8
	ZB.BC200D5B4N	20	65.60	gr. 7400 oz. 259.0

BLUE	Code	Length		Weight
		m	ft	
	ZB.BC100D5F2D	10	32.80	gr. 3860 oz. 135.1
	ZB.BC150D5F2D	15	49.20	gr. 5610 oz. 196.4
	ZB.BC200D5F2D	20	65.60	gr. 7360 oz. 257.6

BLUE	Code	Length		Weight
		m	ft	
	ZB.BC100D5F5F	10	32.80	gr. 3880 oz. 135.8
	ZB.BC150D5F5F	15	49.20	gr. 5630 oz. 197.1
	ZB.BC200D5F5F	20	65.60	gr. 7380 oz. 258.3

BLUE WITH SS AISI 316 FITTINGS	Code	Length		Weight
		m	ft	
	ZB.BC100D2J2J	10	32.80	gr. 3840 oz. 134.4
	ZB.BC150D2J2J	15	49.20	gr. 5590 oz. 195.7
	ZB.BC200D2J2J	20	65.60	gr. 7340 oz. 256.9

BLUE WITH SS AISI 316 FITTINGS	Code	Length		Weight
		m	ft	
	ZB.BC100D2K2K	10	32.80	gr. 3890 oz. 136.2
	ZB.BC150D2K2K	15	49.20	gr. 5640 oz. 197.4
	ZB.BC200D2K2K	20	65.60	gr. 7390 oz. 258.7

BLUE WITH SS AISI 316 FITTINGS	Code	Length		Weight
		m	ft	
	ZB.BC100D2V2V	10	32.80	gr. 3960 oz. 138.6
	ZB.BC150D2V2V	15	49.20	gr. 5710 oz. 199.9
	ZB.BC200D2V2V	20	65.60	gr. 7460 oz. 261.1

Club dei Riparatori®



A complete range of components and solutions
to repair any kind of high pressure washer.



H.p. hoses 315 bar(4550 psi) - R1 5/16"

- Pre-assembled

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

BLACK	Code	Length		Weight
		m	ft	
	ZN.CC080B1Z1Z	8	26.25	gr. 2580 oz. 90.3
	ZN.CC100B1Z1Z	10	32.80	gr. 3140 oz. 109.9
	ZN.CC150B1Z1Z	15	49.20	gr. 4540 oz. 158.9
	ZN.CC200B1Z1Z	20	65.60	gr. 5940 oz. 207.9

With handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.CC080B2A1Z	8	26.25	gr. 2570 oz. 90.0
	ZN.CC100B2A1Z	10	32.80	gr. 3130 oz. 109.6
	ZN.CC150B2A1Z	15	49.20	gr. 4530 oz. 158.6
	ZN.CC200B2A1Z	20	65.60	gr. 5930 oz. 207.6

With handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.CC080B2B2B	8	26.25	gr. 2630 oz. 92.1
	ZN.CC100B2B2B	10	32.80	gr. 3190 oz. 111.7
	ZN.CC150B2B2B	15	49.20	gr. 4590 oz. 160.7
	ZN.CC200B2B2B	20	65.60	gr. 5990 oz. 209.7

With handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.CC080B2C2B	8	26.25	gr. 2620 oz. 91.7
	ZN.CC100B2C2B	10	32.80	gr. 3180 oz. 111.3
	ZN.CC150B2C2B	15	49.20	gr. 4580 oz. 160.3
	ZN.CC200B2C2B	20	65.60	gr. 5980 oz. 209.3

With handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.CC080B2N1Z	8	26.25	gr. 2590 oz. 90.7
	ZN.CC100B2N1Z	10	32.80	gr. 3150 oz. 110.3
	ZN.CC150B2N1Z	15	49.20	gr. 4550 oz. 159.3
	ZN.CC200B2N1Z	20	65.60	gr. 5950 oz. 208.3

With handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.CC080B2N2A	8	26.25	gr. 2580 oz. 90.3
	ZN.CC100B2N2A	10	32.80	gr. 3140 oz. 109.9
	ZN.CC150B2N2A	15	49.20	gr. 4540 oz. 158.9
	ZN.CC200B2N2A	20	65.60	gr. 5940 oz. 207.9

With handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.CC080B2N3P	8	26.25	gr. 2610 oz. 91.4
	ZN.CC100B2N3P	10	32.80	gr. 3170 oz. 111.0
	ZN.CC150B2N3P	15	49.20	gr. 4570 oz. 160.0
	ZN.CC200B2N3P	20	65.60	gr. 5970 oz. 209.0

With handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.CC080B3P1Z	8	26.25	gr. 2600 oz. 91.0
	ZN.CC100B3P1Z	10	32.80	gr. 3160 oz. 110.6
	ZN.CC150B3P1Z	15	49.20	gr. 4560 oz. 159.6
	ZN.CC200B3P1Z	20	65.60	gr. 5960 oz. 208.6

With handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.CC080B3P2A	8	26.25	gr. 2600 oz. 91.0
	ZN.CC100B3P2A	10	32.80	gr. 3160 oz. 110.6
	ZN.CC150B3P2A	15	49.20	gr. 4560 oz. 159.6
	ZN.CC200B3P2A	20	65.60	gr. 5960 oz. 208.6

With handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.CC080B3P3P	8	26.25	gr. 2630 oz. 92.1
	ZN.CC100B3P3P	10	32.80	gr. 3190 oz. 111.7
	ZN.CC150B3P3P	15	49.20	gr. 4590 oz. 160.7
	ZN.CC200B3P3P	20	65.60	gr. 5990 oz. 209.7

With handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.CC080B4D1Z	8	26.25	gr. 2610 oz. 91.4
	ZN.CC100B4D1Z	10	32.80	gr. 3170 oz. 111.0
	ZN.CC150B4D1Z	15	49.20	gr. 4570 oz. 160.0
	ZN.CC200B4D1Z	20	65.60	gr. 5970 oz. 209.0

With handles

BLACK	Code	Length		Weight
		m	ft	
	ZN.CC080B4D2A	8	26.25	gr. 2610 oz. 91.4
	ZN.CC100B4D2A	10	32.80	gr. 3170 oz. 111.0
	ZN.CC150B4D2A	15	49.20	gr. 4570 oz. 160.0
	ZN.CC200B4D2A	20	65.60	gr. 5970 oz. 209.0

With handles







H.p. hoses 315 bar(4550 psi) - R1 5/16"



- Pre-assembled



The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

BLACK	Code	Length		Weight
		m	ft	
 <p>M 22ø14 F long</p>  <p>M 22ø14 F</p> <p>With handles</p>	ZN.CC080B4D3P	8	26.25	gr. 2640 oz. 92.4
	ZN.CC100B4D3P	10	32.80	gr. 3200 oz. 112.0
	ZN.CC150B4D3P	15	49.20	gr. 4600 oz. 161.0
	ZN.CC200B4D3P	20	65.60	gr. 6000 oz. 210.0


BLACK	Code	Length		Weight
		m	ft	
 <p>M 22ø14 F long</p>  <p>fitting ø10 K ø14</p> <p>With handles</p>	ZN.CC080A4D5P	8	26.25	gr. 2540 oz. 88.9
	ZN.CC100A4D5P	10	32.80	gr. 3100 oz. 108.5
	ZN.CC150A4D5P	15	49.20	gr. 4500 oz. 158.5
	ZN.CC200A4D5P	20	65.60	gr. 5900 oz. 206.5



BLACK	Code	Length		Weight
		m	ft	
 <p>M 22ø14 F long</p>  <p>fitting ø10 K ø16</p> <p>With handles</p>	ZN.CC080A4D5Q	8	26.25	gr. 2540 oz. 88.9
	ZN.CC100A4D5Q	10	32.80	gr. 3100 oz. 108.5
	ZN.CC150A4D5Q	15	49.20	gr. 4500 oz. 158.5
	ZN.CC200A4D5Q	20	65.60	gr. 5900 oz. 206.5

BLACK	Code	Length		Weight
		m	ft	
 <p>M 22ø14 F long</p>  <p>fitting ø10 K ø18</p> <p>With handles</p>	ZN.CC080A4D5R	8	26.25	gr. 2540 oz. 88.9
	ZN.CC100A4D5R	10	32.80	gr. 3100 oz. 108.5
	ZN.CC150A4D5R	15	49.20	gr. 4500 oz. 158.5
	ZN.CC200A4D5R	20	65.60	gr. 5900 oz. 206.5



BLACK	Code	Length		Weight
		m	ft	
 <p>M 22ø14 F long</p>  <p>fitting ø11 K swivel</p> <p>With handles</p>	ZN.CC080A4D8A	8	26.25	gr. 2540 oz. 88.9
	ZN.CC100A4D8A	10	32.80	gr. 3100 oz. 108.5
	ZN.CC150A4D8A	15	49.20	gr. 4500 oz. 158.5
	ZN.CC200A4D8A	20	65.60	gr. 5900 oz. 206.5



BLACK	Code	Length		Weight
		m	ft	
 <p>M 21ø14 F</p>  <p>G 3/8" F</p> <p>With handles</p>	ZN.CC080B4G1Z	8	26.25	gr. 2600 oz. 91.0
	ZN.CC100B4G1Z	10	32.80	gr. 3160 oz. 110.6
	ZN.CC150B4G1Z	15	49.20	gr. 4560 oz. 160.6
	ZN.CC200B4G1Z	20	65.60	gr. 5960 oz. 208.6

BLACK	Code	Length		Weight
		m	ft	
 <p>M 21ø14 F</p>  <p>G 3/8" M</p> <p>With handles</p>	ZN.CC080B4G2A	8	26.25	gr. 2600 oz. 91.0
	ZN.CC100B4G2A	10	32.80	gr. 3160 oz. 110.6
	ZN.CC150B4G2A	15	49.20	gr. 4560 oz. 160.6
	ZN.CC200B4G2A	20	65.60	gr. 5960 oz. 208.6

BLACK	Code	Length		Weight
		m	ft	
 <p>M 21ø14 F</p>  <p>M 21ø14 F</p> <p>With handles</p>	ZN.CC080B4G4G	8	26.25	gr. 2630 oz. 92.1
	ZN.CC100B4G4G	10	32.80	gr. 3190 oz. 111.7
	ZN.CC150B4G4G	15	49.20	gr. 4590 oz. 161.7
	ZN.CC200B4G4G	20	65.60	gr. 5990 oz. 209.7

BLACK	Code	Length		Weight
		m	ft	
 <p>M 21ø14 F</p>  <p>M 22ø14 F</p> <p>With handles</p>	ZN.CC080B4G3P	8	26.25	gr. 2630 oz. 92.1
	ZN.CC100B4G3P	10	32.80	gr. 3190 oz. 111.7
	ZN.CC150B4G3P	15	49.20	gr. 4590 oz. 161.7
	ZN.CC200B4G3P	20	65.60	gr. 5990 oz. 209.7

BLUE	Code	Length		Weight
		m	ft	
 <p>G 3/8" F</p>  <p>G 3/8" F</p> <p>With handles</p>	ZB.CC080D1Z1Z	8	26.25	gr. 2540 oz. 88.9
	ZB.CC100D1Z1Z	10	32.80	gr. 3090 oz. 108.2
	ZB.CC150D1Z1Z	15	49.20	gr. 4460 oz. 156.1
	ZB.CC200D1Z1Z	20	65.60	gr. 5840 oz. 204.4

BLUE	Code	Length		Weight
		m	ft	
 <p>G 1/2" F</p>  <p>G 1/2" F</p> <p>With handles</p>	ZB.CC080D2B2B	8	26.25	gr. 2590 oz. 90.7
	ZB.CC100D2B2B	10	32.80	gr. 3140 oz. 109.9
	ZB.CC150D2B2B	15	49.20	gr. 4510 oz. 157.9
	ZB.CC200D2B2B	20	65.60	gr. 5890 oz. 206.2

BLUE	Code	Length		Weight
		m	ft	
 <p>1/2" F swivel</p>  <p>G 3/8" F</p> <p>With handles</p>	ZB.CC080D2N1Z	8	26.25	gr. 2550 oz. 89.3
	ZB.CC100D2N1Z	10	32.80	gr. 3100 oz. 108.5
	ZB.CC150D2N1Z	15	49.20	gr. 4470 oz. 156.5
	ZB.CC200D2N1Z	20	65.60	gr. 5850 oz. 204.8




H.p. hoses 315 bar(4550 psi) - R1 5/16"


- Pre-assembled


The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®


BLUE	Code	Length		Weight
		m	ft	
 1/2" F swivel M 22ø14 F With handles	ZB.CC080D2N3P	8	26.25	gr. 2570 oz. 90.0
	ZB.CC100D2N3P	10	32.80	gr. 3120 oz. 109.2
	ZB.CC150D2N3P	15	49.20	gr. 4500 oz. 157.5
	ZB.CC200D2N3P	20	65.60	gr. 5870 oz. 205.5


BLUE	Code	Length		Weight
		m	ft	
 M 22ø14 F G 3/8" F With handles	ZB.CC080D3P1Z	8	26.25	gr. 2560 oz. 89.6
	ZB.CC100D3P1Z	10	32.80	gr. 3110 oz. 108.9
	ZB.CC150D3P1Z	15	49.20	gr. 4490 oz. 157.2
	ZB.CC200D3P1Z	20	65.60	gr. 5860 oz. 205.1


BLUE	Code	Length		Weight
		m	ft	
 M 22ø14 F M 22ø14 F With handles	ZB.CC080D3P3P	8	26.25	gr. 2590 oz. 90.7
	ZB.CC100D3P3P	10	32.80	gr. 3140 oz. 109.9
	ZB.CC150D3P3P	15	49.20	gr. 4510 oz. 157.9
	ZB.CC200D3P3P	20	65.60	gr. 5890 oz. 206.2


BLUE	Code	Length		Weight
		m	ft	
 M 22ø14 F long G 3/8" F With handles	ZB.CC080D4D1Z	8	26.25	gr. 2570 oz. 90.0
	ZB.CC100D4D1Z	10	32.80	gr. 3120 oz. 109.2
	ZB.CC150D4D1Z	15	49.20	gr. 4500 oz. 157.5
	ZB.CC200D4D1Z	20	65.60	gr. 5870 oz. 205.5


BLUE	Code	Length		Weight
		m	ft	
 M 22ø14 F long M 22ø14 F With handles	ZB.CC080D4D3P	8	26.25	gr. 2600 oz. 91.0
	ZB.CC100D4D3P	10	32.80	gr. 3150 oz. 110.3
	ZB.CC150D4D3P	15	49.20	gr. 4520 oz. 158.2
	ZB.CC200D4D3P	20	65.60	gr. 5900 oz. 206.5

BLUE	Code	Length		Weight
		m	ft	
 M 22ø14 F long fitting ø10 K ø14 With handle	ZB.CC080C4D5P	8	26.25	gr. 2500 oz. 87.5
	ZB.CC100C4D5P	10	32.80	gr. 3050 oz. 106.8
	ZB.CC150C4D5P	15	49.20	gr. 4420 oz. 154.7
	ZB.CC200C4D5P	20	65.60	gr. 5800 oz. 203.0

BLUE	Code	Length		Weight
		m	ft	
 M 22ø14 F long fitting ø10 K ø16 With handle	ZB.CC080C4D5Q	8	26.25	gr. 2500 oz. 87.5
	ZB.CC100C4D5Q	10	32.80	gr. 3050 oz. 106.8
	ZB.CC150C4D5Q	15	49.20	gr. 4420 oz. 154.7
	ZB.CC200C4D5Q	20	65.60	gr. 5800 oz. 203.0

BLUE	Code	Length		Weight
		m	ft	
 M 22ø14 F long fitting ø10 K ø18 With handle	ZB.CC080C4D5R	8	26.25	gr. 2500 oz. 87.5
	ZB.CC100C4D5R	10	32.80	gr. 3050 oz. 106.8
	ZB.CC150C4D5R	15	49.20	gr. 4420 oz. 154.7
	ZB.CC200C4D5R	20	65.60	gr. 5800 oz. 203.0

BLUE	Code	Length		Weight
		m	ft	
 M 22ø14 F long fitting ø11 K swivel With handle	ZB.CC080C4D8A	8	26.25	gr. 2500 oz. 87.5
	ZB.CC100C4D8A	10	32.80	gr. 3050 oz. 106.8
	ZB.CC150C4D8A	15	49.20	gr. 4420 oz. 154.7
	ZB.CC200C4D8A	20	65.60	gr. 5800 oz. 203.0

BLUE	Code	Length		Weight
		m	ft	
 M 21ø14 F G 3/8" F With handles	ZB.CC080D4G1Z	8	26.25	gr. 2560 oz. 89.6
	ZB.CC100D4G1Z	10	32.80	gr. 3110 oz. 108.9
	ZB.CC150D4G1Z	15	49.20	gr. 4490 oz. 157.2
	ZB.CC200D4G1Z	20	65.60	gr. 5860 oz. 205.1

BLUE	Code	Length		Weight
		m	ft	
 M 21ø14 F M 21ø14 F With handles	ZB.CC080D4G4G	8	26.25	gr. 2590 oz. 90.7
	ZB.CC100D4G4G	10	32.80	gr. 3140 oz. 109.9
	ZB.CC150D4G4G	15	49.20	gr. 4510 oz. 157.9
	ZB.CC200D4G4G	20	65.60	gr. 5890 oz. 206.2



BLUE WITH SS AISI 316 FITTINGS	Code	Length		Weight
		m	ft	
 G 3/8" F G 3/8" F With handles	ZB.CC080D2H2H	8	26.25	gr. 2540 oz. 88.9
	ZB.CC100D2H2H	10	32.80	gr. 3090 oz. 108.2
	ZB.CC150D2H2H	15	49.20	gr. 4460 oz. 156.1
	ZB.CC200D2H2H	20	65.60	gr. 5840 oz. 204.4



H.p. hoses 315 bar(4550 psi) - R1 5/16" - Pre-assembled

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

BLUE WITH SS AISI 316 FITTINGS

	Code	Length		Weight
		m	ft	
 G 1/2" F	ZB.CC080D2I2I	8	26.25	gr. 2590 oz. 90.7
	ZB.CC100D2I2I	10	32.80	gr. 3140 oz. 109.9
 G 1/2" F	ZB.CC150D2I2I	15	49.20	gr. 4510 oz. 157.9
<i>With handles</i>	ZB.CC200D2I2I	20	65.60	gr. 5890 oz. 206.2

BLUE WITH SS AISI 316 FITTINGS



	Code	Length		Weight
		m	ft	
 M 22ø14 F	ZB.CC080D2L2L	8	26.25	gr. 2660 oz. 93.1
	ZB.CC100D2L2L	10	32.80	gr. 3210 oz. 112.4
 M 22ø14 F	ZB.CC150D2L2L	15	49.20	gr. 4580 oz. 160.3
<i>With handles</i>	ZB.CC200D2L2L	20	65.60	gr. 5960 oz. 208.6



H.p. hoses 400 bar(5800psi) - R2 5/16" - Pre-assembled

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®



BLACK

	Code	Length		Weight
		m	ft	
 G 3/8" F	ZN.DC080B1Z1Z	8	26.25	gr. 3870 oz. 135.5
	ZN.DC100B1Z1Z	10	32.80	gr. 4750 oz. 166.3
 G 3/8" F	ZN.DC150B1Z1Z	15	49.20	gr. 6950 oz. 243.3
<i>With handles</i>	ZN.DC200B1Z1Z	20	65.60	gr. 9150 oz. 320.3



BLACK

	Code	Length		Weight
		m	ft	
 G 3/8" M	ZN.DC080B2A1Z	8	26.25	gr. 3860 oz. 135.1
	ZN.DC100B2A1Z	10	32.80	gr. 4740 oz. 165.9
 G 3/8" F	ZN.DC150B2A1Z	15	49.20	gr. 6940 oz. 242.9
<i>With handles</i>	ZN.DC200B2A1Z	20	65.60	gr. 9140 oz. 319.9



BLACK

	Code	Length		Weight
		m	ft	
 G 1/2" F	ZN.DC080B2B2B	8	26.25	gr. 3920 oz. 137.2
	ZN.DC100B2B2B	10	32.80	gr. 4800 oz. 168.0
 G 1/2" F	ZN.DC150B2B2B	15	49.20	gr. 7000 oz. 245.0
<i>With handles</i>	ZN.DC200B2B2B	20	65.60	gr. 9200 oz. 322.0



BLACK

	Code	Length		Weight
		m	ft	
 G 1/2" M	ZN.DC080B2C2B	8	26.25	gr. 3910 oz. 136.9
	ZN.DC100B2C2B	10	32.80	gr. 4790 oz. 167.7
 G 1/2" F	ZN.DC150B2C2B	15	49.20	gr. 6990 oz. 244.7
<i>With handles</i>	ZN.DC200B2C2B	20	65.60	gr. 9190 oz. 321.7


BLACK

	Code	Length		Weight
		m	ft	
 1/2" F swivel	ZN.DC080B2N1Z	8	26.25	gr. 3880 oz. 135.8
	ZN.DC100B2N1Z	10	32.80	gr. 4760 oz. 166.6
 G 3/8" F	ZN.DC150B2N1Z	15	49.20	gr. 6960 oz. 243.6
<i>With handles</i>	ZN.DC200B2N1Z	20	65.60	gr. 9160 oz. 320.6

BLACK

	Code	Length		Weight
		m	ft	
 1/2" F swivel	ZN.DC080B2N2A	8	26.25	gr. 3870 oz. 135.5
	ZN.DC100B2N2A	10	32.80	gr. 4750 oz. 166.3
 G 3/8" M	ZN.DC150B2N2A	15	49.20	gr. 6950 oz. 243.3
<i>With handles</i>	ZN.DC200B2N2A	20	65.60	gr. 9150 oz. 320.3

BLACK

	Code	Length		Weight
		m	ft	
 1/2" F swivel	ZN.DC080B2N3P	8	26.25	gr. 3900 oz. 136.5
	ZN.DC100B2N3P	10	32.80	gr. 4780 oz. 167.3
 M 22ø14 F	ZN.DC150B2N3P	15	49.20	gr. 6980 oz. 244.3
<i>With handles</i>	ZN.DC200B2N3P	20	65.60	gr. 9180 oz. 321.3

BLACK

	Code	Length		Weight
		m	ft	
 M 22ø14 F	ZN.DC080B3P1Z	8	26.25	gr. 3890 oz. 136.2
	ZN.DC100B3P1Z	10	32.80	gr. 4770 oz. 167.0
 G 3/8" F	ZN.DC150B3P1Z	15	49.20	gr. 6970 oz. 244.0
<i>With handles</i>	ZN.DC200B3P1Z	20	65.60	gr. 9170 oz. 320.3





H.p. hoses 400 bar (5800 psi) - R2 5/16"



- Pre-assembled

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®



BLACK

	Code	Length		Weight
		m	ft	
	ZN.DC080B3P2A	8	26.25	gr. 3890 oz. 136.2
M 22ø14 F	ZN.DC100B3P2A	10	32.80	gr. 4770 oz. 167.0
G 3/8" M	ZN.DC150B3P2A	15	49.20	gr. 6970 oz. 244.0
 With handles	ZN.DC200B3P2A	20	65.60	gr. 9170 oz. 320.3



BLACK

	Code	Length		Weight
		m	ft	
	ZN.DC080B3P3P	8	26.25	gr. 3920 oz. 137.2
M 22ø14 F	ZN.DC100B3P3P	10	32.80	gr. 4800 oz. 168.0
M 22ø14 F	ZN.DC150B3P3P	15	49.20	gr. 7000 oz. 245.0
 With handles	ZN.DC200B3P3P	20	65.60	gr. 9200 oz. 322.0

BLACK

	Code	Length		Weight
		m	ft	
	ZN.DC080B4D1Z	8	26.25	gr. 3900 oz. 136.5
M 22ø14 F long	ZN.DC100B4D1Z	10	32.80	gr. 4780 oz. 167.3
G 3/8" F	ZN.DC150B4D1Z	15	49.20	gr. 6980 oz. 244.3
 With handles	ZN.DC200B4D1Z	20	65.60	gr. 9180 oz. 321.3



BLACK

	Code	Length		Weight
		m	ft	
	ZN.DC080B4D2A	8	26.25	gr. 3900 oz. 136.5
M 22ø14 F long	ZN.DC100B4D2A	10	32.80	gr. 4780 oz. 167.3
G 3/8" M	ZN.DC150B4D2A	15	49.20	gr. 6980 oz. 244.3
 With handles	ZN.DC200B4D2A	20	65.60	gr. 9180 oz. 321.3



BLACK

	Code	Length		Weight
		m	ft	
	ZN.DC080B4D3P	8	26.25	gr. 3930 oz. 137.6
M 22ø14 F long	ZN.DC100B4D3P	10	32.80	gr. 4810 oz. 168.4
M 22ø14 F	ZN.DC150B4D3P	15	49.20	gr. 7010 oz. 245.4
 With handles	ZN.DC200B4D3P	20	65.60	gr. 9210 oz. 322.4



BLACK

	Code	Length		Weight
		m	ft	
	ZN.DC080A4D7X	8	26.25	gr. 3830 oz. 134.1
M 22ø14 F long	ZN.DC100A4D7X	10	32.80	gr. 4710 oz. 164.9
fitting ø10 K ø14	ZN.DC150A4D7X	15	49.20	gr. 6910 oz. 241.9
 With handle	ZN.DC200A4D7X	20	65.60	gr. 9110 oz. 318.9



BLACK

	Code	Length		Weight
		m	ft	
	ZN.DC080A4D7Y	8	26.25	gr. 3830 oz. 134.1
M 22ø14 F long	ZN.DC100A4D7Y	10	32.80	gr. 4710 oz. 164.9
fitting ø10 K ø16	ZN.DC150A4D7Y	15	49.20	gr. 6910 oz. 241.9
 With handle	ZN.DC200A4D7Y	20	65.60	gr. 9110 oz. 318.9



BLACK

	Code	Length		Weight
		m	ft	
	ZN.DC080A4D7Z	8	26.25	gr. 3840 oz. 134.4
M 22ø14 F long	ZN.DC100A4D7Z	10	32.80	gr. 4720 oz. 165.2
fitting ø10 K ø18	ZN.DC150A4D7Z	15	49.20	gr. 6920 oz. 242.2
 With handle	ZN.DC200A4D7Z	20	65.60	gr. 9120 oz. 319.2

BLACK

	Code	Length		Weight
		m	ft	
	ZN.DC080A4D5S	8	26.25	gr. 3840 oz. 134.4
M 22ø14 F long	ZN.DC100A4D5S	10	32.80	gr. 4720 oz. 165.2
fitting ø11 K swivel	ZN.DC150A4D5S	15	49.20	gr. 6920 oz. 242.2
 With handle	ZN.DC200A4D5S	20	65.60	gr. 9120 oz. 319.2



BLACK



	Code	Length		Weight
		m	ft	
	ZN.DC080B4G1Z	8	26.25	gr. 3890 oz. 136.2
M 21ø14 F	ZN.DC100B4G1Z	10	32.80	gr. 4770 oz. 167.0
G 3/8" F	ZN.DC150B4G1Z	15	49.20	gr. 6970 oz. 244.0
 With handles	ZN.DC200B4G1Z	20	65.60	gr. 9170 oz. 320.3






H.p. hoses 400 bar (5800 psi) - R2 5/16" - Pre-assembled



The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®



BLACK		Code	Length m ft	Weight
	M 22ø14 F	ZN.DC080B4G2A	8 26.25	gr. 3890 oz. 136.2
	G 3/8" M	ZN.DC100B4G2A	10 32.80	gr. 4770 oz. 167.0
		ZN.DC150B4G2A	15 49.20	gr. 6970 oz. 244.0
	With handles	ZN.DC200B4G2A	20 65.60	gr. 9170 oz. 320.3



BLACK		Code	Length m ft	Weight
	M 21ø14 F	ZN.DC080B4G4G	8 26.25	gr. 3920 oz. 137.2
		ZN.DC100B4G4G	10 32.80	gr. 4800 oz. 168.0
	M 21ø14 F	ZN.DC150B4G4G	15 49.20	gr. 7000 oz. 245.0
	With handles	ZN.DC200B4G4G	20 65.60	gr. 9200 oz. 322.0



BLACK		Code	Length m ft	Weight
	M 21ø14 F	ZN.DC080B4G3P	8 26.25	gr. 3920 oz. 137.2
	M 22ø14 F	ZN.DC100B4G3P	10 32.80	gr. 4800 oz. 168.0
		ZN.DC150B4G3P	15 49.20	gr. 7000 oz. 245.0
	With handles	ZN.DC200B4G3P	20 65.60	gr. 9200 oz. 322.0

BLUE		Code	Length m ft	Weight
	G 3/8" F	ZB.DC080D1Z1Z	8 26.25	gr. 3990 oz. 139.7
	G 3/8" F	ZB.DC100D1Z1Z	10 32.80	gr. 4900 oz. 171.5
		ZB.DC150D1Z1Z	15 49.20	gr. 7170 oz. 251.0
	With handles	ZB.DC200D1Z1Z	20 65.60	gr. 9450 oz. 330.8



BLUE		Code	Length m ft	Weight
	G 1/2" F	ZB.DC080D2B2B	8 26.25	gr. 4040 oz. 141.4
	G 1/2" F	ZB.DC100D2B2B	10 32.80	gr. 4950 oz. 173.3
		ZB.DC150D2B2B	15 49.20	gr. 7220 oz. 252.7
	With handles	ZB.DC200D2B2B	20 65.60	gr. 9500 oz. 332.5

BLUE		Code	Length m ft	Weight
	1/2" F swivel	ZB.DC080D2N1Z	8 26.25	gr. 4000 oz. 140.0
	G 3/8" F	ZB.DC100D2N1Z	10 32.80	gr. 4910 oz. 171.9
		ZB.DC150D2N1Z	15 49.20	gr. 7180 oz. 251.3
	With handles	ZB.DC200D2N1Z	20 65.60	gr. 9460 oz. 331.1

BLUE		Code	Length m ft	Weight
	1/2" F swivel	ZB.DC080D2N3P	8 26.25	gr. 4020 oz. 140.7
	M 22ø14 F	ZB.DC100D2N3P	10 32.80	gr. 4930 oz. 172.6
		ZB.DC150D2N3P	15 49.20	gr. 7210 oz. 252.4
	With handles	ZB.DC200D2N3P	20 65.60	gr. 9480 oz. 331.8

BLUE		Code	Length m ft	Weight
	M 22ø14 F	ZB.DC080D3P1Z	8 26.25	gr. 4010 oz. 140.4
	G 3/8" F	ZB.DC100D3P1Z	10 32.80	gr. 4920 oz. 172.2
		ZB.DC150D3P1Z	15 49.20	gr. 7200 oz. 252.0
	With handles	ZB.DC200D3P1Z	20 65.60	gr. 9470 oz. 331.5



BLUE		Code	Length m ft	Weight
	M 22ø14 F	ZB.DC080D3P3P	8 26.25	gr. 4040 oz. 141.4
	M 22ø14 F	ZB.DC100D3P3P	10 32.80	gr. 4950 oz. 173.3
		ZB.DC150D3P3P	15 49.20	gr. 7220 oz. 252.7
	With handles	ZB.DC200D3P3P	20 65.60	gr. 9500 oz. 332.5

BLUE		Code	Length m ft	Weight
	M 22ø14 F long	ZB.DC080D4D1Z	8 26.25	gr. 4020 oz. 140.7
	G 3/8" F	ZB.DC100D4D1Z	10 32.80	gr. 4930 oz. 172.6
		ZB.DC150D4D1Z	15 49.20	gr. 7210 oz. 252.4
	With handles	ZB.DC200D4D1Z	20 65.60	gr. 9480 oz. 331.8





H.p. hoses 400 bar (5800 psi) - R2 5/16" - Pre-assembled



The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

BLUE	Code	Length		Weight
		m	ft	
	ZB.DC080D4D3P	8	26.25	gr. 4050 oz. 141.8
	ZB.DC100D4D3P	10	32.80	gr. 4960 oz. 173.6
	ZB.DC150D4D3P	15	49.20	gr. 7230 oz. 253.1
	ZB.DC200D4D3P	20	65.60	gr. 9510 oz. 323.4



M 22ø14 F long
M 22ø14 F
With handles

BLUE	Code	Length		Weight
		m	ft	
	ZB.DC080C4D7X	8	26.25	gr. 3910 oz. 136.9
	ZB.DC100C4D7X	10	32.80	gr. 4820 oz. 168.7
	ZB.DC150C4D7X	15	49.20	gr. 7090 oz. 248.2
	ZB.DC200C4D7X	20	65.60	gr. 9370 oz. 328.0



M 22ø14 F long
fitting ø10 K ø14
With handle

BLUE	Code	Length		Weight
		m	ft	
	ZB.DC080C4D7Y	8	26.25	gr. 3910 oz. 136.9
	ZB.DC100C4D7Y	10	32.80	gr. 4820 oz. 168.7
	ZB.DC150C4D7Y	15	49.20	gr. 7090 oz. 248.2
	ZB.DC200C4D7Y	20	65.60	gr. 9370 oz. 328.0



M 22ø14 F long
fitting ø10 K ø16
With handle

BLUE	Code	Length		Weight
		m	ft	
	ZB.DC080C4D7Z	8	26.25	gr. 3920 oz. 137.2
	ZB.DC100C4D7Z	10	32.80	gr. 4830 oz. 169.1
	ZB.DC150C4D7Z	15	49.20	gr. 7100 oz. 248.5
	ZB.DC200C4D7Z	20	65.60	gr. 9380 oz. 328.3



M 22ø14 F long
fitting ø10 K ø18
With handle

BLUE	Code	Length		Weight
		m	ft	
	ZB.DC080C4D5S	8	26.25	gr. 3920 oz. 137.2
	ZB.DC100C4D5S	10	32.80	gr. 4830 oz. 169.1
	ZB.DC150C4D5S	15	49.20	gr. 7100 oz. 248.5
	ZB.DC200C4D5S	20	65.60	gr. 9380 oz. 328.3



M 22ø14 F long
fitting ø11 K swivel
With handle

BLUE	Code	Length		Weight
		m	ft	
	ZB.DC080D4G1Z	8	26.25	gr. 4010 oz. 140.4
	ZB.DC100D4G1Z	10	32.80	gr. 4920 oz. 172.2
	ZB.DC150D4G1Z	15	49.20	gr. 7200 oz. 252.0
	ZB.DC200D4G1Z	20	65.60	gr. 9470 oz. 331.5



M 21ø14 F
G 3/8" F
With handles

BLUE	Code	Length		Weight
		m	ft	
	ZB.DC080D4G4G	8	26.25	gr. 4040 oz. 141.4
	ZB.DC100D4G4G	10	32.80	gr. 4950 oz. 173.3
	ZB.DC150D4G4G	15	49.20	gr. 7220 oz. 252.7
	ZB.DC200D4G4G	20	65.60	gr. 9500 oz. 332.5



M 21ø14 F
M 21ø14 F
With handles

BLUE WITH SS AISI 316 FITTINGS	Code	Length		Weight
		m	ft	
	ZB.DC080D2H2H	8	26.25	gr. 3990 oz. 139.7
	ZB.DC100D2H2H	10	32.80	gr. 4900 oz. 171.5
	ZB.DC150D2H2H	15	49.20	gr. 7170 oz. 251.0
	ZB.DC200D2H2H	20	65.60	gr. 9450 oz. 330.8

G 3/8" F
G 3/8" F
With handles

BLUE WITH SS AISI 316 FITTINGS	Code	Length		Weight
		m	ft	
	ZB.DC080D2I2I	8	26.25	gr. 4040 oz. 141.4
	ZB.DC100D2I2I	10	32.80	gr. 4950 oz. 173.3
	ZB.DC150D2I2I	15	49.20	gr. 7220 oz. 252.7
	ZB.DC200D2I2I	20	65.60	gr. 9500 oz. 332.5

G 1/2" F
G 1/2" F
With handles

BLUE WITH SS AISI 316 FITTINGS	Code	Length		Weight
		m	ft	
	ZB.DC080D2L2L	8	26.25	gr. 4110 oz. 143.9
	ZB.DC100D2L2L	10	32.80	gr. 5020 oz. 175.7
	ZB.DC150D2L2L	15	49.20	gr. 7290 oz. 255.2
	ZB.DC200D2L2L	20	65.60	gr. 9570 oz. 335.0

M 22ø14 F
M 22ø14 F
With handles



H.p. hoses 400 bar (5800 psi) - R2 3/8"

- Pre-assembled

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B2D2D	10	32.80	gr. 5950 oz. 208.3
G 3/8" F				
	ZN.EC150B2D2D	15	49.20	gr. 8750 oz. 306.3
G 3/8" F				
	ZN.EC200B2D2D	20	65.60	gr. 11550 oz. 404.3
<i>With handles</i>				

BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B2E2D	10	32.80	gr. 5940 oz. 207.9
G 3/8" M				
	ZN.EC150B2E2D	15	49.20	gr. 8740 oz. 305.9
G 3/8" F				
	ZN.EC200B2E2D	20	65.60	gr. 11540 oz. 403.9
<i>With handles</i>				

BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B2F2F	10	32.80	gr. 6000 oz. 210.0
G 1/2" F				
	ZN.EC150B2F2F	15	49.20	gr. 8800 oz. 308.0
G 1/2" F				
	ZN.EC200B2F2F	20	65.60	gr. 11600 oz. 406.0
<i>With handles</i>				

BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B2G2F	10	32.80	gr. 5990 oz. 209.7
G 1/2" M				
	ZN.EC150B2G2F	15	49.20	gr. 8790 oz. 307.7
G 1/2" F				
	ZN.EC200B2G2F	20	65.60	gr. 11590 oz. 405.7
<i>With handles</i>				

BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B2O2D	10	32.80	gr. 5960 oz. 208.6
1/2" F swivel				
	ZN.EC150B2O2D	15	49.20	gr. 8760 oz. 306.6
G 3/8" F				
	ZN.EC200B2O2D	20	65.60	gr. 11560 oz. 404.6
<i>With handles</i>				

BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B2O2E	10	32.80	gr. 5950 oz. 208.3
1/2" F swivel				
	ZN.EC150B2O2E	15	49.20	gr. 8750 oz. 306.3
G 3/8" M				
	ZN.EC200B2O2E	20	65.60	gr. 11550 oz. 404.3
<i>With handles</i>				

BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B2O2F	10	32.80	gr. 5980 oz. 209.3
1/2" F swivel				
	ZN.EC150B2O2F	15	49.20	gr. 8780 oz. 307.3
G 1/2" F				
	ZN.EC200B2O2F	20	65.60	gr. 11580 oz. 405.3
<i>With handles</i>				

BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B2O2G	10	32.80	gr. 5980 oz. 209.3
1/2" F swivel				
	ZN.EC150B2O2G	15	49.20	gr. 8780 oz. 307.3
G 1/2" M				
	ZN.EC200B2O2G	20	65.60	gr. 11580 oz. 405.3
<i>With handles</i>				

BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B2O4N	10	32.80	gr. 5980 oz. 209.3
1/2" F swivel				
	ZN.EC150B2O4N	15	49.20	gr. 8780 oz. 307.3
M 22ø14 F				
	ZN.EC200B2O4N	20	65.60	gr. 11580 oz. 405.3
<i>With handles</i>				




BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B4N2D	10	32.80	gr. 5970 oz. 209.0
M 22ø14 F				
	ZN.EC150B4N2D	15	49.20	gr. 8770 oz. 307.0
G 3/8" F				
	ZN.EC200B4N2D	20	65.60	gr. 11570 oz. 405.0
<i>With handles</i>				









H.p. hoses 400 bar (5800 psi) - R2 3/8"




- Pre-assembled




The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®




BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B4N2E	10	32.80	gr. 5970 oz. 209.0
M 22ø14 F				
	ZN.EC150B4N2E	15	49.20	gr. 8770 oz. 307.0
G 3/8" M				
	ZN.EC200B4N2E	20	65.60	gr. 11570 oz. 405.0
<i>With handles</i>				




BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B4N4N	10	32.80	gr. 6000 oz. 210.0
M 22ø14 F				
	ZN.EC150B4N4N	15	49.20	gr. 8800 oz. 308.0
M 22ø14 F				
	ZN.EC200B4N4N	20	65.60	gr. 11600 oz. 406.0
<i>With handles</i>				




BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B5B2D	10	32.80	gr. 5980 oz. 209.3
M 22ø14 F long				
	ZN.EC150B5B2D	15	49.20	gr. 8780 oz. 307.3
G 3/8" F				
	ZN.EC200B5B2D	20	65.60	gr. 11580 oz. 405.3
<i>With handles</i>				




BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B5B2E	10	32.80	gr. 5980 oz. 209.3
M 22ø14 F long				
	ZN.EC150B5B2E	15	49.20	gr. 8780 oz. 307.3
G 3/8" M				
	ZN.EC200B5B2E	20	65.60	gr. 11580 oz. 405.3
<i>With handles</i>				




BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B5B4N	10	32.80	gr. 6010 oz. 210.4
M 22ø14 F long				
	ZN.EC150B5B4N	15	49.20	gr. 8810 oz. 308.4
M 22ø14 F				
	ZN.EC200B5B4N	20	65.60	gr. 11610 oz. 406.4
<i>With handles</i>				

BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B5F2D	10	32.80	gr. 5970 oz. 209.0
M 21ø14 F				
	ZN.EC150B5F2D	15	49.20	gr. 8770 oz. 307.0
G 3/8" F				
	ZN.EC200B5F2D	20	65.60	gr. 11570 oz. 405.0
<i>With handles</i>				

BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B5F2E	10	32.80	gr. 5970 oz. 209.0
M 21ø14 F				
	ZN.EC150B5F2E	15	49.20	gr. 8770 oz. 307.0
G 3/8" M				
	ZN.EC200B5F2E	20	65.60	gr. 11570 oz. 405.0
<i>With handles</i>				

BLACK	Code	Length		Weight
		m	ft	
	ZN.EC100B5F5F	10	32.80	gr. 6000 oz. 210.0
M 21ø14 F				
	ZN.EC150B5F5F	15	49.20	gr. 8800 oz. 308.0
M 21ø14 F				
	ZN.EC200B5F5F	20	65.60	gr. 11600 oz. 406.0
<i>With handles</i>				




BLUE	Code	Length		Weight
		m	ft	
	ZB.EC100D2D2D	10	32.80	gr. 6050 oz. 211.8
G 3/8" F				
	ZB.EC150D2D2D	15	49.20	gr. 8900 oz. 311.5
G 3/8" F				
	ZB.EC200D2D2D	20	65.60	gr. 11750 oz. 411.3
<i>With handles</i>				




BLUE	Code	Length		Weight
		m	ft	
	ZB.EC100D2F2F	10	32.80	gr. 6100 oz. 213.5
G 1/2" F				
	ZB.EC150D2F2F	15	49.20	gr. 8950 oz. 313.3
G 1/2" F				
	ZB.EC200D2F2F	20	65.60	gr. 11800 oz. 413.0
<i>With handles</i>				








H.p. hoses 400 bar (5800 psi) - R2 3/8" - Pre-assembled



The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

BLUE	Code	Length		Weight
		m	ft	
	ZB.EC100D202D	10	32.80	gr. 6090 oz. 213.2
	ZB.EC150D202D	15	49.20	gr. 8940 oz. 312.9
	ZB.EC200D202D	20	65.60	gr. 11790 oz. 412.7




BLUE	Code	Length		Weight
		m	ft	
	ZB.EC100D202F	10	32.80	gr. 6080 oz. 212.8
	ZB.EC150D202F	15	49.20	gr. 8930 oz. 312.6
	ZB.EC200D202F	20	65.60	gr. 11780 oz. 412.3



BLUE	Code	Length		Weight
		m	ft	
	ZB.EC100D4N2D	10	32.80	gr. 6070 oz. 212.5
	ZB.EC150D4N2D	15	49.20	gr. 8920 oz. 312.2
	ZB.EC200D4N2D	20	65.60	gr. 11770 oz. 412.0




BLUE	Code	Length		Weight
		m	ft	
	ZB.EC100D4N4N	10	32.80	gr. 6100 oz. 213.5
	ZB.EC150D4N4N	15	49.20	gr. 8950 oz. 313.3
	ZB.EC200D4N4N	20	65.60	gr. 11800 oz. 413.0




BLUE	Code	Length		Weight
		m	ft	
	ZB.EC100D5B2D	10	32.80	gr. 6080 oz. 212.8
	ZB.EC150D5B2D	15	49.20	gr. 8930 oz. 312.6
	ZB.EC200D5B2D	20	65.60	gr. 11780 oz. 412.3




BLUE	Code	Length		Weight
		m	ft	
	ZB.EC100D5B4N	10	32.80	gr. 6110 oz. 213.9
	ZB.EC150D5B4N	15	49.20	gr. 8960 oz. 313.6
	ZB.EC200D5B4N	20	65.60	gr. 11810 oz. 413.4

BLUE	Code	Length		Weight
		m	ft	
	ZB.EC100D5F2D	10	32.80	gr. 6070 oz. 212.5
	ZB.EC150D5F2D	15	49.20	gr. 8920 oz. 312.2
	ZB.EC200D5F2D	20	65.60	gr. 11770 oz. 412.0

BLUE	Code	Length		Weight
		m	ft	
	ZB.EC100D5F4N	10	32.80	gr. 6100 oz. 213.5
	ZB.EC150D5F4N	15	49.20	gr. 8950 oz. 313.3
	ZB.EC200D5F4N	20	65.60	gr. 11800 oz. 413.0

BLUE WITH SS AISI 316 FITTINGS	Code	Length		Weight
		m	ft	
	ZB.EC100D2J2J	10	32.80	gr. 6050 oz. 211.8
	ZB.EC150D2J2J	15	49.20	gr. 8900 oz. 311.5
	ZB.EC200D2J2J	20	65.60	gr. 11750 oz. 411.3

BLUE WITH SS AISI 316 FITTINGS	Code	Length		Weight
		m	ft	
	ZB.EC100D2K2K	10	32.80	gr. 6100 oz. 213.5
	ZB.EC150D2K2K	15	49.20	gr. 8950 oz. 313.3
	ZB.EC200D2K2K	20	65.60	gr. 11800 oz. 413.0

BLUE WITH SS AISI 316 FITTINGS	Code	Length		Weight
		m	ft	
	ZB.EC100D2V2V	10	32.80	gr. 6100 oz. 213.5
	ZB.EC150D2V2V	15	49.20	gr. 8950 oz. 313.3
	ZB.EC200D2V2V	20	65.60	gr. 11800 oz. 413.0

High pressure hoses showed in these pages are a selected range of products guaranteed by

Club dei Riparatori®




Do not be misled by the price!




The quality of Club dei Riparatori® high pressure hoses is the best and the price is so tempting just because we sell them without agents.









H.p. hoses 500 bar(7250 psi) - R2 3/8"
- Pre-assembled

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

BLACK	Code	Length		Weight
		m	ft	
	ZN.FC100B2D2D	10	32.80	gr. 5200 oz. 182.0
G 3/8" F				
	ZN.FC150B2D2D	15	49.20	gr. 7620 oz. 266.7
G 3/8" F				
 <i>With handles</i>	ZN.FC200B2D2D	20	65.60	gr. 10050 oz. 351.8

BLACK	Code	Length		Weight
		m	ft	
	ZN.FC100B2E2D	10	32.80	gr. 5190 oz. 181.7
G 3/8" M				
	ZN.FC150B2E2D	15	49.20	gr. 7620 oz. 266.7
G 3/8" F				
 <i>With handles</i>	ZN.FC200B2E2D	20	65.60	gr. 10040 oz. 351.4

BLACK	Code	Length		Weight
		m	ft	
	ZN.FC100B2F2F	10	32.80	gr. 5250 oz. 183.8
G 1/2" F				
	ZN.FC150B2F2F	15	49.20	gr. 7670 oz. 268.5
G 1/2" F				
 <i>With handles</i>	ZN.FC200B2F2F	20	65.60	gr. 10100 oz. 353.5

BLACK	Code	Length		Weight
		m	ft	
	ZN.FC100B2G2F	10	32.80	gr. 5250 oz. 183.8
G 1/2" M				
	ZN.FC150B2G2F	15	49.20	gr. 7670 oz. 268.5
G 1/2" F				
 <i>With handles</i>	ZN.FC200B2G2F	20	65.60	gr. 10100 oz. 353.5



High pressure hoses - R1 1/4" and fittings

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

R1 1/4" BLACK 210 bar-3050 psi



Code	Length		Weight	
	m	ft	gr.	oz.
ZN.AC080	8	26.25	gr. 1480	oz. 51.8
ZN.AC100	10	32.80	gr. 1850	oz. 64.8
ZN.AC150	15	49.20	gr. 2770	oz. 97.0
ZN.AC200	20	65.60	gr. 3700	oz. 129.5
ZN.AC500	50	164.00	gr. 9200	oz. 322.0

Only h.p. hose

Club dei Riparatori®



The winning solution to manufacture and repair all kinds of pressure washers

FITTINGS

	Code	Description	Weight	
	CDR.1A	Black handle	gr. 40	oz. 1.4
	CDR.1C	Blue handle	gr. 40	oz. 1.4
	CDR.1B	Yellow handle	gr. 40	oz. 1.4
	CDR.5V	Crimped ferrule	gr. 25	oz. 0.9
	CDR.1R	Crimped G 1/4" F	gr. 30	oz. 1.1
	CDR.1S	Crimped G 1/4" M	gr. 25	oz. 0.9
	CDR.1T	Crimped G 3/8" F	gr. 40	oz. 1.4
	CDR.1U	Crimped G 3/8" M	gr. 40	oz. 1.4
	CDR.1V	Crimped G 1/2" F	gr. 70	oz. 2.5
	CDR.1W	Crimped G 1/2" M	gr. 60	oz. 2.1
	CDR.6F	GREEN ring nut for 1/2" F crimped fitting MV	gr. 30	oz. 1.1



FITTINGS















	Code	Description	Weight	
	CDR.6J	BLACK ring nut for M22x1,5 F ø14 crimped	gr. 35	oz. 1.3
	CDR.6K	BLACK "LONG" ring nut for M22x1,5 F ø14 crimped	gr. 45	oz. 1.6
	CDR.6L	HEXAGON nut for M22x1,5 F ø14 crimped STAINLESS STEEL AISI 316	gr. 75	oz. 2.7
	CDR.6M	YELLOW ring nut for M22x1,5 F ø14 crimped	gr. 30	oz. 1.1
	CDR.6N	BLUE ring nut for M21x1,5 F ø14 crimped	gr. 30	oz. 1.1
	CDR.6O	DARK BLUE ring nut for M22x1,5 F ø15 crimped	gr. 35	oz. 1.3
	CDR.6G	Insert for crimped fitting 1/2" F fitting MV	gr. 25	oz. 0.9
	CDR.6P	Insert ø14	gr. 35	oz. 1.3
	CDR.6Q	Insert ø14, 75°	gr. 45	oz. 1.6
	CDR.6R	Insert ø14, 90°	gr. 45	oz. 1.6
	CDR.6S	Insert ø14, neck 5 mm - ROUNDED	gr. 40	oz. 1.4



High pressure hoses - R1 1/4" and fittings

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

FITTINGS	Code	Description	Weight
	CDR.7S	Insert $\phi 14$, neck 14 mm - ROUNDED	gr. 45 oz. 1.6
	CDR.6U	Insert $\phi 14$, 75° - ROUNDED	gr. 45 oz. 1.6
	CDR.6V	Insert $\phi 14$, 90° - ROUNDED	gr. 45 oz. 1.6
	CDR.7M	Insert $\phi 15$	gr. 35 oz. 1.3
	ZX.2M	Crimped 1/2" F fitting MV with GREEN ring nut	gr. 55 oz. 2.0
	ZX.50	Crimped $\phi 10$ fitting K with crimped ferrule	gr. 60 oz. 2.1
	ZX.3H	Crimped M21x1,5 F $\phi 14$ with BLUE ring nut	gr. 65 oz. 2.3
	ZX.3I	Crimped M21x1,5 F $\phi 14$ 75° with BLUE ring nut	gr. 75 oz. 2.7
	ZX.3J	Crimped M21x1,5 F $\phi 14$ 90° with BLUE ring nut	gr. 75 oz. 2.7
	ZX.3L	Crimped M21x1,5 F $\phi 14$ neck 5 mm - ROUNDED with BLUE ring nut	gr. 65 oz. 2.3
	ZX.3M	Crimped M21x1,5 F $\phi 14$ neck 14 mm - ROUNDED with BLUE ring nut	gr. 70 oz. 2.5
	ZX.2P	Crimped M22x1,5 F $\phi 14$ with BLACK ring nut	gr. 70 oz. 2.5
	ZX.2Q	Crimped M22x1,5 F $\phi 14$ 75° with BLACK ring nut	gr. 80 oz. 2.8
	ZX.2R	Crimped M22x1,5 F $\phi 14$ 90° with BLACK ring nut	gr. 80 oz. 2.8
	ZX.2S	Crimped M22x1,5 F $\phi 14$ neck 5 mm - ROUNDED with BLACK ring nut	gr. 70 oz. 2.5
	ZX.2T	Crimped M22x1,5 F $\phi 14$ neck 14 mm - ROUNDED with BLACK ring nut	gr. 75 oz. 2.7

FITTINGS	Code	Description	Weight
	ZX.2U	Crimped M22x1,5 F $\phi 14$ 75° - ROUNDED with BLACK ring nut	gr. 80 oz. 2.8
	ZX.2W	Crimped M22x1,5 F $\phi 14$ 90° - ROUNDED with BLACK ring nut	gr. 80 oz. 2.8
	ZX.3E	Crimped M22x1,5 F $\phi 14$ with BLACK "LONG" ring nut	gr. 80 oz. 2.8
	ZX.3F	Crimped M22x1,5 F $\phi 14$ neck 5 mm - ROUNDED w/ BLACK "LONG" ring nut	gr. 85 oz. 3.0
	ZX.3G	Crimped M22x1,5 F $\phi 14$ neck 14 mm - ROUNDED w/ BLACK "LONG" ring nut	gr. 85 oz. 3.0
	ZX.2X	Crimped M22x1,5 F $\phi 14$ with YELLOW ring nut	gr. 65 oz. 2.1
	ZX.2Y	Crimped M22x1,5 F $\phi 14$ 75° with YELLOW ring nut	gr. 75 oz. 2.7
	ZX.2Z	Crimped M22x1,5 F $\phi 14$ 90° with YELLOW ring nut	gr. 75 oz. 2.7
	ZX.3A	Crimped M22x1,5 F $\phi 14$ neck 5 mm - ROUNDED with YELLOW ring nut	gr. 65 oz. 2.3
	ZX.3B	Crimped M22x1,5 F $\phi 14$ neck 14 mm - ROUNDED with YELLOW ring nut	gr. 70 oz. 2.5
	ZX.3C	Crimped M22x1,5 F $\phi 14$ 75° - ROUNDED with YELLOW ring nut	gr. 75 oz. 2.7
	ZX.3D	Crimped M22x1,5 F $\phi 14$ 90° - ROUNDED with YELLOW ring nut	gr. 75 oz. 2.7
	ZX.5M	Crimped M22x1,5 F $\phi 15$ with DARK BLUE ring nut	gr. 75 oz. 2.7
	CDR.70	Crimped fitting HOSE CONNECTION	gr. 100 oz. 3.5



High pressure hoses - R1 and R2 5/16" and fittings

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

R1 5/16" BLACK 315 bar-4550 psi



Only h.p. hose

Code	Length		Weight
	m	ft	
ZN.CC080	8	26.25	gr. 2240 oz. 78.4
ZN.CC100	10	32.80	gr. 2800 oz. 98.0
ZN.CC150	15	49.20	gr. 4200 oz. 147.0
ZN.CC200	20	65.60	gr. 5600 oz. 197.4
ZN.CC500	50	164.00	gr. 14000 oz. 490.0

R1 5/16" BLUE 315 bar-4550 psi



Only h.p. hose

Code	Length		Weight
	m	ft	
ZB.CC080	8	26.25	gr. 2200 oz. 77.0
ZB.CC100	10	32.80	gr. 2750 oz. 96.3
ZB.CC150	15	49.20	gr. 4120 oz. 144.2
ZB.CC200	20	65.60	gr. 5500 oz. 192.5
ZB.CC500	50	164.00	gr. 13700 oz. 479.5

R2 5/16" BLACK 400 bar-5800 psi



Only h.p. hose

Code	Length		Weight
	m	ft	
ZN.DC080	8	26.25	gr. 3520 oz. 119.7
ZN.DC100	10	32.80	gr. 4400 oz. 154.0
ZN.DC150	15	49.20	gr. 6600 oz. 231.0
ZN.DC200	20	65.60	gr. 8800 oz. 308.0
ZN.DC500	50	164.00	gr. 22000 oz. 770.0

R2 5/16" BLUE 400 bar-580 psi



Only h.p. hose

Code	Length		Weight
	m	ft	
ZB.DC080	8	26.25	gr. 3640 oz. 127.4
ZB.DC100	10	32.80	gr. 4550 oz. 159.3
ZB.DC150	15	49.20	gr. 6820 oz. 238.7
ZB.DC200	20	65.60	gr. 9100 oz. 318.5
ZB.DC500	50	164.00	gr. 22700 oz. 794.5

FITTINGS

	Code	Description	Weight
	CDR.1D	R1 Black handle	gr. 80 oz. 2.8
	CDR.1F	R1 Blue handle	gr. 80 oz. 2.8
	CDR.1E	R1 Yellow handle	gr. 80 oz. 2.8
	CDR.1G	R2 Black handle	gr. 80 oz. 2.8
	CDR.1I	R2 Blue handle	gr. 80 oz. 2.8
	CDR.1H	R2 Yellow handle	gr. 80 oz. 2.8
	CDR.5W	R1 Crimped ferrule	gr. 40 oz. 1.4
	CDR.5X	R1 crimped ferrule STAINLESS STEEL AISI 316	gr. 40 oz. 1.4
	CDR.5Y	R2 Crimped ferrule	gr. 45 oz. 1.6
	CDR.5Z	R2 crimped ferrule STAINLESS STEEL AISI 316	gr. 45 oz. 1.6
	CDR.1X	Crimped G 1/4" F	gr. 40 oz. 1.4
	CDR.1Y	Crimped G 1/4" M	gr. 40 oz. 1.4
	CDR.1Z	Crimped G 3/8" F	gr. 50 oz. 1.8
	CDR.2A	Crimped G 3/8" M	gr. 45 oz. 1.6

FITTINGS

	Code	Description	Weight
	CDR.2H	Crimped G 3/8" F STAINLESS STEEL AISI 316	gr. 50 oz. 1.8
	CDR.2B	Crimped G 1/2" F	gr. 75 oz. 2.7
	CDR.2C	Crimped G 1/2" M	gr. 70 oz. 2.5
	CDR.2I	Crimped G 1/2" F STAINLESS STEEL AISI 316	gr. 75 oz. 2.7
	CDR.6F	GREEN ring nut for 1/2" F crimped fitting MV	gr. 30 oz. 1.1
	CDR.6J	BLACK ring nut for M22x1,5 F ø14 crimped	gr. 35 oz. 1.3
	CDR.6K	BLACK "LONG" ring nut for M22x1,5 F ø14 crimped	gr. 45 oz. 1.6
	CDR.6L	HEXAGON nut for M22x1,5 F ø14 crimped STAINLESS STEEL	gr. 75 oz. 2.7
	CDR.6M	YELLOW ring nut for M22x1,5 F ø14 crimped	gr. 30 oz. 1.1
	CDR.6N	BLUE ring nut for M21x1,5 F ø14 crimped	gr. 30 oz. 1.1
	CDR.6O	DARK BLUE ring nut for M22x1,5 F ø15 crimped	gr. 35 oz. 1.3
	CDR.6H	Insert for crimped fitting 1/2" F fitting MV	gr. 30 oz. 1.1
	CDR.6W	Insert ø14	gr. 40 oz. 1.4
	CDR.6X	Insert ø14 STAINLESS STEEL AISI 316	gr. 40 oz. 1.4



High pressure hoses - R1 and R2 5/16" and fittings

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

FITTINGS	Code	Description	Weight
	CDR.6T	Insert $\phi 14$, 75°	gr. 50 oz. 1.8
	CDR.6Z	Insert $\phi 14$, 90°	gr. 50 oz. 1.8
	CDR.7A	Insert $\phi 14$, neck 5 mm - ROUNDED	gr. 40 oz. 1.4
	CDR.7B	Insert $\phi 14$, neck 14 mm - ROUNDED	gr. 45 oz. 1.6
	CDR.7C	Insert $\phi 14$, 75° - ROUNDED	gr. 50 oz. 1.8
	CDR.7D	Insert $\phi 14$, 90° - ROUNDED	gr. 50 oz. 1.8
	CDR.7N	Insert $\phi 15$	gr. 40 oz. 1.4
	ZX.2N	Crimped 1/2" F fitting MV with GREEN ring nut	gr. 60 oz. 2.1
	ZX.5P	R1 Crimped $\phi 10$ (seat $\phi 14$) fitting K with crimped ferrule	gr. 50 oz. 1.8
	ZX.5Q	R1 Crimped $\phi 10$ (seat $\phi 16$) fitting K with crimped ferrule	gr. 50 oz. 1.8
	ZX.5R	R1 Crimped $\phi 10$ (seat $\phi 18$) fitting K with crimped ferrule	gr. 55 oz. 2.0
	ZX.7X	R2 Crimped $\phi 10$ (seat $\phi 14$) fitting K with crimped ferrule	gr. 55 oz. 2.0
	ZX.7Y	R2 Crimped $\phi 10$ (seat $\phi 16$) fitting K with crimped ferrule	gr. 55 oz. 2.0
	ZX.7Z	R2 Crimped $\phi 10$ (seat $\phi 18$) fitting K with crimped ferrule	gr. 60 oz. 2.1
	ZX.8A	R1 Crimped $\phi 11$ fitting K with crimped ferrule	gr. 55 oz. 2.0
	ZX.5S	R2 Crimped $\phi 11$ fitting K with crimped ferrule	gr. 60 oz. 2.1
	ZX.5T	R1 Crimped $\phi 11$ fitting K STAINLESS STEEL AISI 316 with crimped ferrule	gr. 55 oz. 2.0
	ZX.5U	R2 Crimped $\phi 11$ fitting K STAINLESS STEEL AISI 316 with crimped ferrule	gr. 55 oz. 2.0
	ZX.4G	Crimped M21x1,5 F $\phi 14$ with BLUE ring nut	gr. 70 oz. 2.5
	ZX.4H	Crimped M21x1,5 F $\phi 14$ 75° with BLUE ring nut	gr. 75 oz. 2.7
	ZX.4I	Crimped M21x1,5 F $\phi 14$ 90° with BLUE ring nut	gr. 75 oz. 2.7
	ZX.4J	Crimped M21x1,5 F $\phi 14$ neck 5 mm - ROUNDED with BLUE ring nut	gr. 70 oz. 2.5

FITTINGS	Code	Description	Weight
	ZX.4K	Crimped M21x1,5 F $\phi 14$ neck 14 mm - ROUNDED with BLUE ring nut	gr. 75 oz. 2.7
	ZX.2L	Crimped M22x1,5 F $\phi 14$ with HEXAGON nut STAINLESS STEEL AISI 316	gr. 110 oz. 3.9
	ZX.3P	Crimped M22x1,5 F $\phi 14$ with BLACK ring nut	gr. 75 oz. 2.7
	ZX.3Q	Crimped M22x1,5 F $\phi 14$ 75° with BLACK ring nut	gr. 80 oz. 2.8
	ZX.3R	Crimped M22x1,5 F $\phi 14$ 90° with BLACK ring nut	gr. 80 oz. 2.8
	ZX.3S	Crimped M22x1,5 F $\phi 14$ neck 5 mm - ROUNDED with BLACK ring nut	gr. 75 oz. 2.7
	ZX.3T	Crimped M22x1,5 F $\phi 14$ neck 14 mm - ROUNDED with BLACK ring nut	gr. 80 oz. 2.8
	ZX.3U	Crimped M22x1,5 F $\phi 14$ 75° - ROUNDED with BLACK ring nut	gr. 80 oz. 2.8
	ZX.3V	Crimped M22x1,5 F $\phi 14$ 90° - ROUNDED with BLACK ring nut	gr. 80 oz. 2.8
	ZX.4D	Crimped M22x1,5 F $\phi 14$ with BLACK "LONG" ring nut	gr. 85 oz. 3.0
	ZX.4E	Crimped M22x1,5 F $\phi 14$ neck 5 mm - ROUNDED w/ BLACK "LONG" ring nut	gr. 85 oz. 3.0
	ZX.4F	Crimped M22x1,5 F $\phi 14$ neck 14 mm - ROUNDED w/ BLACK "LONG" ring nut	gr. 90 oz. 3.2
	ZX.3W	Crimped M22x1,5 F $\phi 14$ with YELLOW ring nut	gr. 70 oz. 2.5
	ZX.3X	Crimped M22x1,5 F $\phi 14$ 75° with YELLOW ring nut	gr. 75 oz. 2.7
	ZX.3Y	Crimped M22x1,5 F $\phi 14$ 90° with YELLOW ring nut	gr. 75 oz. 2.7
	ZX.3Z	Crimped M22x1,5 F $\phi 14$ neck 5 mm - ROUNDED with YELLOW ring nut	gr. 70 oz. 2.5
	ZX.4A	Crimped M22x1,5 F $\phi 14$ neck 14 mm - ROUNDED with YELLOW ring nut	gr. 75 oz. 2.7
	ZX.4B	Crimped M22x1,5 F $\phi 14$ 75° - ROUNDED with YELLOW ring nut	gr. 75 oz. 2.7
	ZX.4C	Crimped M22x1,5 F $\phi 14$ 90° - ROUNDED with YELLOW ring nut	gr. 75 oz. 2.7
	ZX.5N	Crimped M22x1,5 F $\phi 15$ with DARK BLUE ring nut	gr. 75 oz. 2.7
	CDR.7P	Crimped fitting HOSE CONNECTION	gr. 110 oz. 3.9



High pressure hoses - R1 and R2 3/8" and fittings

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

R1 3/8" BLACK 210 bar-3050 psi



Code	Length m ft	Weight gr. oz.
ZN.BC100	10 32.80	gr. 3450 oz. 120.8
ZN.BC150	15 49.20	gr. 5170 oz. 181.0
ZN.BC200	20 65.60	gr. 6900 oz. 241.5
ZN.BC500	50 164.00	gr. 17200 oz. 602.0

R1 3/8" BLUE 210 bar-3050 psi



Code	Length m ft	Weight gr. oz.
ZB.BC100	10 32.80	gr. 3500 oz. 122.5
ZB.BC150	15 49.20	gr. 5250 oz. 183.8
ZB.BC200	20 65.60	gr. 7000 oz. 245.0
ZB.BC500	50 164.00	gr. 17500 oz. 612.5

R2 3/8" BLACK 400 bar-5800 psi



Code	Length m ft	Weight gr. oz.
ZN.EC100	10 32.80	gr. 5600 oz. 196.0
ZN.EC150	15 49.20	gr. 8400 oz. 294.0
ZN.EC200	20 65.60	gr. 11200 oz. 392.0
ZN.EC500	50 164.00	gr. 28000 oz. 980.0

R2 3/8" BLUE 400 bar-5800 psi



Code	Length m ft	Weight gr. oz.
ZB.EC100	10 32.80	gr. 5650 oz. 197.8
ZB.EC150	15 49.20	gr. 8470 oz. 296.5
ZB.EC200	20 65.60	gr. 11300 oz. 395.5
ZB.EC500	50 164.00	gr. 28200 oz. 987.0

FITTINGS



Code	Description	Weight gr. oz.
CDR.1J	R1 Black handle	gr. 80 oz. 2.8
CDR.1L	R1 Blue handle	gr. 80 oz. 2.8
CDR.1K	R1 Yellow handle	gr. 80 oz. 2.8
CDR.1M	R2 Black handle	gr. 80 oz. 2.8
CDR.1O	R2 Blue handle	gr. 80 oz. 2.8
CDR.1N	R2 Yellow handle	gr. 80 oz. 2.8
CDR.6A	R1 Crimped ferrule	gr. 40 oz. 1.4
CDR.6B	R1 crimped ferrule STAINLESS STEEL AISI 316	gr. 40 oz. 1.4
CDR.6C	R2 Crimped ferrule	gr. 45 oz. 1.6
CDR.6D	R2 crimped ferrule STAINLESS STEEL AISI 316	gr. 45 oz. 1.6
CDR.2D	Crimped G 3/8" F	gr. 50 oz. 1.8
CDR.2E	Crimped G 3/8" M	gr. 45 oz. 1.6
CDR. 2J	Crimped G 3/8" F STAINLESS STEEL AISI 316	gr. 50 oz. 1.8
CDR.2F	Crimped G 1/2" F	gr. 75 oz. 2.7
CDR.2G	Crimped G 1/2" M	gr. 70 oz. 2.5

FITTINGS



Code	Description	Weight gr. oz.
CDR.2K	Crimped G 1/2" F STAINLESS STEEL AISI 316	gr. 75 oz. 2.7
CDR.6F	GREEN ring nut for 1/2" F crimped fitting MV	gr. 30 oz. 1.1
CDR.6J	BLACK ring nut for M22x1,5 F ø14 crimped	gr. 35 oz. 1.3
CDR.6K	BLACK "LONG" ring nut for M22x1,5 F ø14 crimped	gr. 45 oz. 1.6
CDR.6L	HEXAGON nut for M22x1,5 F ø14 crimped STAINLESS STEEL AISI 316	gr. 75 oz. 2.7
CDR.6M	YELLOW ring nut for M22x1,5 F ø14 crimped	gr. 30 oz. 1.1
CDR.6N	BLUE ring nut for M21x1,5 F ø14 crimped	gr. 30 oz. 1.1
CDR.6O	DARK BLUE ring nut for M22x1,5 F ø15 crimped	gr. 35 oz. 1.3
CDR.6I	Insert for crimped fitting 1/2" F fitting MV	gr. 30 oz. 1.1
CDR.7E	Insert ø14	gr. 40 oz. 1.4
CDR.7F	Insert ø14 STAINLESS STEEL AISI 316	gr. 40 oz. 1.4
CDR.7G	Insert ø14, 75°	gr. 50 oz. 1.8
CDR.7H	Insert ø14, 90°	gr. 50 oz. 1.8
CDR.7I	Insert ø14, neck 5 mm - ROUNDED	gr. 40 oz. 1.4
CDR.7J	Insert ø14, neck 14 mm - ROUNDED	gr. 45 oz. 1.6



High pressure hoses - R1 and R2 3/8" and fittings

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

FITTINGS	Code	Description	Weight
	CDR.7K	Insert $\phi 14$, 75° - ROUNDED	gr. 50 oz. 1.8
	CDR.7L	Insert $\phi 14$, 90° - ROUNDED	gr. 50 oz. 1.8
	ZX.20	Crimped 1/2" F fitting MV with GREEN ring nut	gr. 60 oz. 2.1
	ZX.5F	Crimped M21x1,5 F $\phi 14$ with BLUE ring nut	gr. 70 oz. 2.5
	ZX.5G	Crimped M21x1,5 F $\phi 14$ 75° with BLUE ring nut	gr. 75 oz. 2.7
	ZX.5H	Crimped M21x1,5 F $\phi 14$ 90° with BLUE ring nut	gr. 75 oz. 2.7
	ZX.5I	Crimped M21x1,5 F $\phi 14$ neck 5 mm - ROUNDED with BLUE ring nut	gr. 70 oz. 2.5
	ZX.5J	Crimped M21x1,5 F $\phi 14$ neck 14 mm - ROUNDED with BLUE ring nut	gr. 75 oz. 2.7
	ZX.2V	Crimped M22x1,5 F $\phi 14$ with HEXAGON nut STAINLESS STEEL AISI 316	gr. 110 oz. 3.9
	ZX.4N	Crimped M22x1,5 F $\phi 14$ with BLACK ring nut	gr. 75 oz. 2.7
	ZX.40	Crimped M22x1,5 F $\phi 14$ 75° with BLACK ring nut	gr. 80 oz. 2.8
	ZX.4P	Crimped M22x1,5 F $\phi 14$ 90° with BLACK ring nut	gr. 80 oz. 2.8
	ZX.4Q	Crimped M22x1,5 F $\phi 14$ neck 5 mm - ROUNDED with BLACK ring nut	gr. 75 oz. 2.7
	ZX.4R	Crimped M22x1,5 F $\phi 14$ neck 14 mm - ROUNDED with BLACK ring nut	gr. 80 oz. 2.8

FITTINGS	Code	Description	Weight
	ZX.4S	Crimped M22x1,5 F $\phi 14$ 75° - ROUNDED with BLACK ring nut	gr. 80 oz. 2.8
	ZX.4T	Crimped M22x1,5 F $\phi 14$ 90° - ROUNDED with BLACK ring nut	gr. 80 oz. 2.8
	ZX.5B	Crimped M22x1,5 F $\phi 14$ with BLACK "LONG" ring nut	gr. 85 oz. 3.0
	ZX.5D	Crimped M22x1,5 F $\phi 14$ neck 5 mm - ROUNDED w/ BLACK "LONG" ring nut	gr. 85 oz. 3.0
	ZX.5E	Crimped M22x1,5 F $\phi 14$ neck 14 mm - ROUNDED w/ BLACK "LONG" ring nut	gr. 90 oz. 3.2
	ZX.4U	Crimped M22x1,5 F $\phi 14$ with YELLOW ring nut	gr. 70 oz. 2.5
	ZX.4V	Crimped M22x1,5 F $\phi 14$ 75° with YELLOW ring nut	gr. 75 oz. 2.7
	ZX.4W	Crimped M22x1,5 F $\phi 14$ 90° with YELLOW ring nut	gr. 75 oz. 2.7
	ZX.4X	Crimped M22x1,5 F $\phi 14$ neck 5 mm - ROUNDED with YELLOW ring nut	gr. 70 oz. 2.5
	ZX.4Y	Crimped M22x1,5 F $\phi 14$ neck 14 mm - ROUNDED with YELLOW ring nut	gr. 75 oz. 2.7
	ZX.4Z	Crimped M22x1,5 F $\phi 14$ 75° - ROUNDED with YELLOW ring nut	gr. 75 oz. 2.7
	ZX.5A	Crimped M22x1,5 F $\phi 14$ 90° - ROUNDED with YELLOW ring nut	gr. 75 oz. 2.7
	CDR.7Q	Crimped fitting HOSE CONNECTION	gr. 115 oz. 4.0



High pressure hoses - R2 3/8" 500 bar and fittings

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

R2 3/8" 500 bar BLACK	Code	Length m ft	Weight
	ZN.FC100	10 32.80	gr. 4850 oz. 169.8
	ZN.FC150	15 49.20	gr. 7270 oz. 254.5
	ZN.FC200	20 65.60	gr. 9700 oz. 339.8
	ZN.FC500	50 164.00	gr. 24200 oz. 847.0

Only h.p. hose

FITTINGS	Code	Description	Weight
	CDR.1P	Black handle	gr. 80 oz. 2.8
	CDR.1Q	Yellow handle	gr. 80 oz. 2.8

FITTINGS	Code	Description	Weight
	CDR.6E	Crimped ferrule	gr. 45 oz. 1.6
	CDR.2D	Crimped G 3/8" F	gr. 50 oz. 1.8
	CDR.2E	Crimped G 3/8" M	gr. 45 oz. 1.6
	CDR.2F	Crimped G 1/2" F	gr. 75 oz. 2.7
	CDR.2G	Crimped G 1/2" M	gr. 70 oz. 2.5
	CDR.7R	Crimped fitting HOSE CONNECTION	gr. 110 oz. 3.9



H.p. sewer hose 210 bar(3050 psi) - R7 3/16"

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

BLACK

Code	Length m ft	Weight gr. oz.
ZN.MC080X9B9C	8 26.25	gr. 600 oz. 21.0
ZN.MC100X9B9C	10 32.80	gr. 750 oz. 26.3
ZN.MC150X9B9C	15 49.20	gr. 1100 oz. 38.5
ZN.MC200X9B9C	20 65.60	gr. 1450 oz. 50.8

G 1/4" M

G 1/8" M

Without handles

R7 3/16" BLACK 210 bar-3050 psi

Code	Length m ft	Weight gr. oz.
ZN.MC10X	100 328.00	gr. 7000 oz. 245.0

Only h.p. hose

FITTINGS

Code	Description	Weight gr. oz.
CDR.9A	Crimped ferrule	gr. 20 oz. 0.7
CDR.9B	Crimped G 1/8" M + O-Ring	gr. 20 oz. 0.7
CDR.9C	Crimped G 1/4" M + O-Ring	gr. 40 oz. 1.4



H.p. thermoplastic hose 140 bar(2000 psi) - 1/4"

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

BLACK

Code	Length m ft	Weight gr. oz.
ZN.LC080B1R1R	8 26.25	gr. 800 oz. 28.0
ZN.LC150B1R1R	15 49.20	gr. 1400 oz. 48.0

G 1/4" F

G 1/8" F

With handles

1/4" BLACK 140 bar-2000 psi

Code	Length m ft	Weight gr. oz.
ZN.LC10X	100 328.00	gr. 9000 oz. 315.0

Only h.p. hose

FITTINGS

Code	Description	Weight gr. oz.
CDR.9E	Black handle	gr. 40 oz. 1.4
CDR.9D	Crimped ferrule	gr. 20 oz. 0.7
CDR.1R	Crimped G 1/4" F	gr. 30 oz. 1.1
CDR.1S	Crimped G 1/4" M	gr. 25 oz. 0.9
CDR.1T	Crimped G 3/8" F	gr. 40 oz. 1.4
CDR.1U	Crimped G 3/8" M	gr. 40 oz. 1.4
ZX.2P	Crimped M22x1,5 F ø14 with BLACK ring nut	gr. 70 oz. 2.5
ZX.5M	Crimped M22x1,5 F ø15 with DARK BLUE ring nut	gr. 75 oz. 2.7

BLACK

Code	Length m ft	Weight gr. oz.
ZN.LC080B2P1R	8 26.25	gr. 800 oz. 28.0
ZN.LC150B2P1R	15 49.20	gr. 1400 oz. 48.0

M 22ø14 F

M 22ø14 F

With handles

BLACK

Code	Length m ft	Weight gr. oz.
ZN.LC080B5M1R	8 26.25	gr. 800 oz. 28.0
ZN.LC150B5M1R	15 49.20	gr. 1400 oz. 48.0

M 22ø15 F

M 22ø15 F

With handles



High pressure hoses - Made to measure (order form)

The spare parts branded "CdR" exclusively refer to products by Club dei Riparatori® by IDROBASE®

Company _____
 Ref. _____
 Address _____ ZIP CODE _____
 Town/City _____
 Country _____ e-mail _____
 Phone _____ Fax _____

High pressure hoses made to measure MINIMUM QUANTITY AND ASSEMBLY COSTS

Code	Description		
ZX.TUB01	For size LESS THAN 1 metre	minimum order 30 pcs	see price list
ZX.TUB02	For size from 1 to 3 metres	minimum order 10 pcs	see price list
ZX.TUB03	For size GREATER THAN 3 metres	minimum order 10 pcs	see price list

QUANTITY of high pressure hose _____	COLOUR of high pressure hose (make a cross)		
	BLACK		BLUE

TYPE of high pressure hose to manufacture (make a cross)					
R1 1/4 210 bar 3050 psi	R1 3/8 210 bar 3050 psi	R1 5/16 315 bar 4550 psi	R2 5/16 400 bar 5800 psi	R2 3/8 400 bar 5800 psi	R2 3/8 500 bar 7250 psi

Length of hose TO BE CUT in centimetres _____	COLOUR and NUMBER of handles (cross the corresponding letter)					
	NO HANDLE/S	"A" BLACK	"A" BLUE	"A" YELLOW	"B" BLACK	"B" BLUE

Write FITTING CODE you require below
(See catalogue pages 194-200)

END "A"	END "B"

Choose the angle (make a cross)	Write below different angle if required				
<table border="1"> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </table>					

Code _____

To be completed
by Club dei Riparatori